A TEXT-BOOK OF

PRACTICAL ORGANIC CHEMISTRY

INCLUDING

QUALITATIVE ORGANIC ANALYSIS

 $\mathbf{B}\mathbf{y}$

ARTHUR I. VOGEL, D.Sc.(Lond.), D.I.C., F.R.I.C.

Formerly Head of Chemistry Department, Woolwich Polytechnic; Sometime Beit Scientific Research Fellow of the Imperial College, London

With diagrams and 8 photographs

THIRD EDITION

LONGMAN GROUP LIMITED London

Associated companies, branches and representatives throughout the world

First published 1948 New impression with minor corrections, October 1948

Second Edition 1951

New impression with addition of Chapter XII on Semimicro Technique 1954

Third Edition, 1956

New impression with corrections and additions 1957

New impressions 1959, 1961, 1962, 1964, 1965, 1967, 1970, 1972, and 1974

ISBN 0 582 44245 1

PRINTED IN GREAT BRITAIN BY
LOWE AND BRYDONE (PRINTERS) LTD
THETFORD, NORFOLK

PREFACE TO THIRD EDITION

THE favourable reception accorded to previous editions by reviewers, students and practising organic chemists has encouraged the author to undertake an exhaustive revision of the entire text in the light of the numerous developments in practical organic chemistry since the book was first written (1945-46). The net result has been an increase in the length of the volume by some 150 pages, a figure which gives some indication of the new matter incorporated in the present edition.

It is impossible within the limitations of a short preface to give a detailed list of the numerous changes and additions. Some of the more

important new preparations include:

1. Chapter III. 1-Heptene (III,10); alkyl iodides (KI-H₃PO₄ method) (III,38); alkyl fluorides (KF-ethylene glycol method) (III,41); keten (nichrome wire method) (III,90); ion exchange resin catalyst method for esters (III,102); acetamide (urea method) (III,107); ethyl α-bromopropionate (III,126); acetoacetatic ester condensation using sodium triphenylmethide (III,151).

2. Chapter IV. α -Chloromethylnaphthalene (IV,23); benzylamine (Gabriel synthesis) (IV,39); NN-dialkylanilines (from amines and trialkyl orthophosphates) (IV,42); α -naphthaldehyde (Sommelet reaction) (IV,120); α -phenylcinnamic acid (Perkin reaction using triethylamine) (IV,124); β -nitrostyrene (IV,129); β -bromonaphthalene and β -naphthoic acid (from 2-naphthylamine-1-sulphonic acid) (IV,62 and IV,164); diphenic acid (from phenanthrene) (IV,165).

3. Chapter V. Quinaldine (V,2); 2-methyl-, 2:5-dimethyl- and 2-acetyl-thiophene (V,8-V,10); 2:5-dimethyl- and 2:4-dimethyl-dicarbethoxy-pyrrole (V,12-V,13); 2-amino- and 2:4-dimethyl-thiazole (V,15-V,16); 3:5-dimethyl-pyrazole (V,17); 4-ethylpyridine (from pyridine) (V,19); n-amyl-pyridines from picolines) (V,28); picolinic, nicotinic and isonicotinic acid (V,21-V,22); (ethyl nicotinate and β -cyanopyridine (V,23-V,24); uramil (V,25); 4-methyl-

(coumarin (V,28); 2-hydroxylepidine (V,29).

4. Chapter VI. Reductions with potassium borohydride (VI,11); Oppenauer oxidation (VI,13); epoxidation and hydroxylation of ethylenic compounds (VI,15); Arndt-Eistert reaction (VI,17); Darzens glycidic ester condensation (VI,18); Erlenmeyer azlactone reaction (VI,19); Mannich reaction (VI,20); Michael reaction (VI,21); Schmidt reaction (VI,23); Stobbe condensation (VI,24); Willgerodt reaction (VI,25); unsymmetrical diaryls (VI,27); syntheses with organolithium compounds (VI,28); syntheses with organocadmium compounds (VI,30); some electrolytic syntheses (VI,31); chromatographic adsorption (VI,33); ring enlargement with diazomethane (VI,34).

5. Chapters VII-IX. Diazomethane (p-tolylsulphonylmethylnitrosamide method) (VII,20); Girard's reagents "T" and "P" (VII,25); pseudo-saccharin chloride (VII,26); 2: 2'-dipyridyl (VIII,13); ninhydrin (VIII,14);

3-indoleacetic acid (IX,14).

A new feature is the account of the electronic mechanisms (in outline) of the numerous reactions described in the text. Although some of these mechanisms may be modified in the near future, it is hoped that the brief treatment scattered throughout the volume will stimulate the student's interest in this important branch of organic chemistry. It will be noted that many reactions are designated by name; this may be undesirable on pedagogical grounds but, in most cases, established usage and the example set by the various volumes of *Organic Reactions* (J. Wiley) may be put forward in justification.

V

Chapter XII is concerned with Semimicro Technique. There can be little doubt that preparations on a smaller scale than has hitherto been customary have many advantages; particular reference may be made to cost, time and bench space, all of which are important factors in teaching laboratories and also in training for research. Once the student has mastered the special technique, no difficulty should be experienced in adapting most of the preparations described in the book to the semimicro scale. A few examples of small-scale preparations are included together with a suggested list of experiments for an elementary course.

Section A,7, "Applications of infrared and ultraviolet absorption spectra to organic cliemistry," should provide a brief introduction to the subject.

It is regretted that the size of the volume has rendered the insertion of literature references impossible: the Selected Bibliography (A,5) may partly compensate for this omission. Section numbers are now included in the headings of the pages—a feature introduced in response to requests by many readers. The volume comprises virtually at least three books under one cover, viz., experimental technique, preparations, and qualitative organic analysis. It should therefore continue to be of value as a one-volume reference work in the laboratory. Students at all levels will find their requirements for laboratory work (excluding quantitative organic analysis) adequately provided for and, furthermore, the writer hopes that the book will be used as a source of information to supplement their theoretical studies.

The author wishes to thank Dr. G. H. Jeffery, C. T. Cresswell, B.Sc., C. M. Ellis, M.Sc., Dr. J. Leicester and C. Kyte, B.Sc., for assistance with the proof reading and for helpful suggestions; Dr. G. H. Jeffery for invaluable assistance in numerous ways; and C. Kyte, B.Sc., and R. Grezskowiak, B.Sc., for a number of original preparations and also for checking and improving many of the new experimental procedures.

Criticisms and also suggestions for improving the book are welcomed.

ARTHUR I. VOGEL.

Woolwich Polytechnic. London, S.E. 18. September 1955.

PREFACE TO FIRST EDITION

The present volume is an attempt to give to students of practical organic chemistry the benefit of some twenty years' experience in research and teaching of the subject. The real foundations of the author's knowledge of the subject were laid in 1925–1929 when, as a research student at the Imperial College under the late Professor J. F. Thorpe, F.R.S., he was introduced to the methods and experimental technique employed in a large and flourishing school of research in organic chemistry. Since that period the author and his students have been engaged inter alia in researches on Physical Properties and Chemical Constitution (published in the Journal of the Chemical Society) and this has involved the preparation of over a thousand pure compounds of very varied type. Many of

the new procedures and much of the specialised technique developed and employed in these researches are incorporated in this book. Furthermore, new experiments for the elementary student have emanated from these researches; these have been tried out with large classes of undergraduate students over several sessions with gratifying success and have now been included in the present text-book.

In compiling this book, the author has drawn freely from all sources of information available to him—research notes, original memoirs in scientific journals, reference works on organic chemistry, the numerous text-books on practical organic chemistry, and pamphlets of manufacturers of specialised apparatus. Whilst individual acknowledgement cannot obviously be made—in many cases the original source has been lost track of—it is a duty and a pleasure to place on record the debt the writer owes to all these sources. Mention must, however, be made of Organic Syntheses, to which the reader is referred for further details of many of the preparations described in the text.

The book opens with a chapter on the theory underlying the technique of the chief operations of practical organic chemistry: it is considered that a proper understanding of these operations cannot be achieved without a knowledge of the appropriate theoretical principles. Chapter II is devoted to a detailed discussion of experimental technique; the inclusion of this subject in one chapter leads to economy of space, particularly in the description of advanced preparations. It is not expected that the student will employ even the major proportion of the operations described, but a knowledge of their existence is thought desirable for the advanced student so that he may apply them when occasion demands.

Chapters III and IV are confined to the preparation and properties of Aliphatic Compounds and Aromatic Compounds respectively. division, although perhaps artificial, falls into line with the treatment in many of the existing theoretical text-books and also with the author's own lecture courses. A short theoretical introduction precedes the detailed preparations of the various classes of organic compounds: it is recommended that these be read concurrently with the student's lecture course and, it is hoped, that with such reading the subject will become alive and possess real meaning. The partition of the chapters in this manner provides the opportunity of introducing the reactions and the methods of characterisation of the various classes of organic compounds: the foundations of qualitative organic analysis are thus laid gradually, but many teachers may prefer to postpone the study of this subject until a representative number of elementary preparations has been carried out by the student. The division into sections will facilitate the introduction of any scheme of instruction which the teacher considers desirable.

Chapters V-X deal respectively with Heterocyclic and Alicyclic Compounds; Miscellaneous Reactions; Organic Reagents in Inorganic and Organic Chemistry; Dyestuffs, Indicators and Related Compounds; Some Physiologically-Active Compounds; and Synthetic Polymers. Many of these preparations are of course intended for advanced students, but a mere perusal of the experimental details of selected preparations by those whose time for experimental work is limited may assist to impress them on the memory. Attention is particularly directed to the chapter

upon Organic Reagents in Inorganic and Organic Chemistry. It is always a good plan to set advanced students or adequately-trained laboratory assistants on the preparation of those compounds which are required in the laboratory for organic and inorganic analysis; the resulting cost is comparatively low (for o-phenanthroline, for example, it is less than one-tenth of the commercial price) and will serve to promote the use of these, otherwise relatively expensive, organic reagents in the laboratory.

Chapter XI is devoted to Qualitative Organic Analysis. The subject is discussed in moderate detail and this, coupled with the various Sections and Tables of Physical Constants of Organic Compounds and their Derivatives in Chapters III and IV, will provide a satisfactory course of study in this important branch of chemistry. No attempt has been made to deal with Quantitative Organic Analysis in this volume.

The text-book is intended to meet the requirements of the student of chemistry throughout the whole of his training. Considerable detail is given in those sections of particular interest to the elementary student; in the author's opinion it is the duty of a writer of a practical text-book to lay a secure foundation of sound experimental technique for the The subject matter of the book is sufficiently comprehensive to permit the teacher to cover any reasonable course of instruction. will be observed that the scale of the preparations varies considerably; the instructor can easily adapt the preparation to a smaller scale when such a step is necessary from considerations of cost and time or for other reasons. Quantities of liquid reagents are generally expressed as weights and volumes: the latter refer to a temperature of 20°. The book will be suitable for students preparing for the Pass and Honours (General and Special) B.Sc. of the Universities, the A.R.I.C. and the F.R.I.C. (Organic Chemistry). It will also provide an introduction to research methods in organic chemistry and, it is hoped, may serve as an intermediate reference book for practising organic chemists.

Attention is directed to the numerous references, particularly in Chapter II on Experimental Technique, to firms supplying specialised apparatus. The author has usually had first-hand experience with this apparatus and he feels that some readers may wish to know the present source of supply and also from whom to obtain additional information. It must be mentioned that most of the specialised apparatus has been introduced to the market for the first time by the respective firms after much development research and exhaustive tests in their laboratories. A reference to such a firm is, in the writer's opinion, equivalent to an original literature reference or to a book. During the last decade or two much development work has been carried out in the laboratories of the manufacturers of chemical apparatus (and also of industrial chemicals) and some acknowledgement of the great help rendered to practical organic chemists by these industrial organisations is long overdue; it is certainly no exaggeration to state that they have materially assisted the advancement of the science. A short list of the various firms is given on the next page.

ARTHUR I. VOGEL.

Woolwich Polytechnic. London, S.E. 18. December 1946.

CONTENTS

CHAPTER I

THEORY OF GENERAL TECHNIQUE

THEORY OF DISTILLATION

							F	PAGE
I,1.	Vapour pressure							l
I,2.	Calculation of the boiling point at s	electe	d pre	ssurcs		٠.		2
I,3.	Superheating and bumping .							3
I,4.	Fractional distillation			•	•			5
I,5.	The breaking up of azeotropic mixt	ures		_				12
I,6.	Steam distillation. Distillation of a	pair	of in	miscib	le lic	uids		12
1,7.	Distillation with superheated steam							15
,	- 1							
	SOLUTIONS OF LIQUI	DS I	N L	QUII	S			
I,8. I,9.	Partially miscible liquids. Critical Influence of added substances upon					mnere	ture	17 20
1,7.	initionice of added substances upon	DITO CI	ucai	SOIUDIO	11 00	inpera	ULITO	20
	THEORY OF MELTING	AND	FR	EEZI	NG			
I,10.	Melting point and vapour pressure							21
I,11.	Effect of impurities upon the meltin		nt	•				23
I,12.	System in which the solid phases con			oure co	mpo	nents	and	-
-,	the components are completely m							24
I,13.	Construction of equilibrium diagram	s			F			26
I,14.	Construction of equilibrium diagram System in which the two component	s form	a co	mpour	id po	ssessir	าฐล	
-,	congruent melting point .			F				29
I,15.	System in which the two componer	its for	rm a	compo	ound	with	an	
-,	incongruent melting point .							31
I,16.	incongruent melting point . System in which the two componer	its for	rni a	contin	uous	serie	s of	
-,	solid solutions							32
I,17.	Mixed melting points							34
I,18.	System in which the solid phases con-	sist of	ther	oure co	mpo	nents	and	
-,	the components are only partially	misci	ble ii	the li	auid	state		35
					•			
I,19.	Theory of sublimation	_						37
1,20.	Theory of the action of drying agent	.a	•	•	•	-	•	39
I,21.	Deliquescence and efflorescence	~	·	•		·	·	43
1,22.	Theory of sublimation Theory of the action of drying agent Deliquescence and efflorescence . Extraction with solvents	•	•		•	·		44
-,	Davidous with solvoins .	•	•	•	•	•	•	
	CHAPTER	II						
	EXPERIMENTAL T	ECH	NIQ	UE				
** •								46
II,1.	Common laboratory apparatus .	•	•	•	•	•	•	46
II,2.	Cleaning and drying of glassware	•	•	•	•	•	•	53
II,3.	Use of cork and rubber stoppers Cutting and bending of glass tubing	•	•	•	•	•	•	55
II,4.	Cutting and bending of glass tubing	•	•	•	•	•	•	57
11,5.	Heating baths Cooling baths	•	•	•	•	•	•	57 60
II,6.		•	•	•	•	•	•	60
	vi							

_		l'AGE
11,7.	Mechanical agitation	. 62
11,8.	Gas absorption traps	. 71
II,9.	Calibration of thermometers	. 72
I1,10.	Experimental determination of the melting point	. 75
II,11.	Miscellaneous forms of melting point apparatus	. 80
II,12.	Experimental determination of the boiling point	. 83
Il,13.	Typical assemblies of apparatus for distillation and refluxing	. 86
l I,14 .	Fire hazards attending the distillation of inflanmable solvents	. 90
II,15.	Fractional distillation. Distillation with a fractionating column	. 91
II,16.	Simple apparatus for fractionation	. 93
II,17.	Improved apparatus for fractional distillation	. 94
II,18.	Still heads for fractionating columns	. 102
II,19.	Distillation under diminished pressure ("vacuum "distillation)	. 103
II,20.	Fractional distillation under diminished pressure	. 108
II,21.	Water pumps	. 110
II,22.	Oil pumps	. 110
11,23. 11,24.	Manometers and manostats Refinements in the technique of distillation under diminished	. 112
11,24.	pressure	. 116
11,25.	Precision fractional distillation under diminished pressure	. 110
11,26.	Molecular distillation	. 120
11,27.	Purification of solid organic compounds by crystallisation. General	
,	considerations	. 122
II,28.	Experimental details for recrystallisation	. 125
11,29.	Preparation of a fluted filter paper	. 127
11,30.	Removal of traces of colouring matter and resinous products. Us	
•	of decolourising carbon	. 127
11,31.	Difficulties encountered in recrystallisation	. 129
11,32.	Filtration with suction	. 130
11,33.	Drying of the recrystallised material	. 132
II,34.	Filtration of small quantities of material with suction	. 133
11,35.	Miscellaneous apparatus for filtration with suction	. 133
II,36.	Recrystallisation in an atmosphere of inert gas	. 135
11,37.	Evaporation of the solvent	. 135
11,38.	Drying of solid organic compounds	. 136
11,39.	Drying of liquids or of solutions of organic compounds in organic	
TT 40	solvents	. 139
II,40.	Technique of steam distillation	. 148
II,41.	Modifications of the steam distillation apparatus	. 146
I1,42. II,43.	Technique of extraction with solvents	. 149
II,43. II,44.	Extraction by chemically active solvents	. 151
II,45.	Continuous extraction of liquids or solids by solvents	. 152 $. 154$
II,46.	Chromatographic adsorption	. 154
II,47.	Purification of the common organic solvents	. 163
II,48.	Inorganic reagents—gases	. 179
II,49.	Inorganic reagents—liquids	. 186
II,50.	Inorganic reagents—solids	. 190
II,51.	Calculation of yields	. 201
11,52.	General instructions for work in the laboratory	. 204
I1,53.	Safety precautions	. 205
•	• 1	
	APPARATUS WITH INTERCHANGEABLE GROUND	
	GLASS JOINTS	
II,54.	Interchangeable ground glass joints	. 206
II,54. II,55.	Interchangeable ground glass joints	. 200 . 210
11,56.	Apparatus with interchangeable ground glass joints suitable fo	
,	general use in preparative organic chemistry	. 212
11,57.	Electric heating mantles (for use in fractional distillation, etc.)	. 221
	(<u></u>	

								$^{\mathbf{P}}\mathbf{AGE}$
II,58.	Apparatus for the continuous ext	raction	of so	olids	or liq	uids	$\mathbf{b}\mathbf{y}$	
	a = 1 4 a				•		•	222
II,59.	Inbrication of ground glass joints Typical assemblies							225
II,60.	Typical assemblies							226
	••							
	CHAPTER	III						
	PREPARATION AND REACT	IONS	OF	AL	IPH <i>A</i>	TIC	:	
	COMPOUN							
	001111 001	120						
	PRELIMINARY LABORAT	ORY (OPEI	RATI	ONS			
*** 1								990
III,1.	Determination of melting points Mixed melting points Determination of boiling points.	•	•	•	•	•	•	229
II1,2.	Mixed melting points	•	•	•	•	•	•	229
111,3.		•	•	•	•	•	٠	230
III,4.	Fractional distillation	i. 1	•			•	٠	231
111,5.	Purification of solid organic compound	nas by	recry	stam	sation	•	•	232
	CAMINDAMED ATTRIAME	TTTT	D 0 0	DD.	NTC.			
	SATURATED ALIPHATIC	HYD	KUCE	KB	JNS			
III,6.	Reactions and characterisation of sa	turated	lalipl	natic	hvdro	carbo	ons	234
III,7.	n-Octane (Wurtz reaction)							236
III,8.	n-Hexane (hydrocarbon from Grignar		nt)					237
III,9.	n-Octane (Clemmensen reduction of a				-		·	238
,	,	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	'	•	•	·	-	
	ETHYLENIC HYDROCAR	BONS	(AT.I	KEN	ES)			
	BINIBBINO NI BIOOMI	DOMO	(1111)		ш.,			
III,10.	Amylene							239
III,11.	Reactions and characterisation of et	hylenic	hydr	ocarb	ons			241
III,12.	cycloHexene		•					243
	ACETYLENIC HYDROCAR	RBONS	(AL	KYN	(ES)			
T11 12) and relation a							245
III,13.	Acetylene	•	•	• .	•	•	•	240
	AT YOU AMYOU AT	~~ TT ~ T	. ~					a 4 =
	ALIPHATIC AL	COHO	L S					247
III,14.	n-Amyl alcohol (from ethyl n-valerate	. (_			249
111,15.	Tetramethylene glycol (1:4-butaned	iol)	•	•		•	Ţ.	250
III,16.	" Hantel alashal / from a hautaldahas	J.,\	•	•	Ī	•	·	251
III,17.	cycloHexylcarbinol (from cyclohexyl	.11 1.	ì	•		•	Ċ	252
1II,18.	n-Hexyl alcohol (from n-butyl bromio	le i	,	:	•	-	Ť	253
111,19.	n-Nonyl alcohol (from n-heptyl brome	ide\) 	•	•	•	•	254
111,20.	Methyl n-amyl carbinol (from methyl	n-ami	Lketor	201	•	•	•	254
1II,21.	Methyl n-butyl carbinol (from methy	l n-hutu	l ketor	ne)	•		Ī	255
III,22.	Methyl iso-propyl carbinol .	· II-oarg	· novo		•	•	•	255
111,23.	Di-n-butyl carbinol (from n-butyl bro	· mide\	•		•	•	·	256
II1,24.	Dimethyl n-butyl carbinol.		•	•	•	•	Ť	257
III,25.	Triethyl carbinol	•	•	•	•	•	•	258
III,26.	Dimethyl n-propyl carbinol .	•		•		-	-	259
III,27.	Reactions and characterisation of all	iphatic	alcoh	ols	:		•	260
,		r	J. J. J. J.	- 1~	•	•	•	
	ALKYL HAL	IDES						270
	ALKIL HAD	والتدريد						2.0
III,28.	n-Butyl chloride (ZnCl ₂ - HCl method	l)						272
III,29.	secButyl chloride (ZnCl2 - HCl meth	od)	•		•			273
III,30.	iso -Butyl chloride ($SOCl_2 - Pyridine$	method)						274
III,31.	n·Hexyl chloride (SOCl ₂ method)	•	•	•				274

xiv CONTENTS

				P	AGE
III,32.	cycloHexyl chloride (HCl - CaCl ₂ method)		•	•	275
111,33.	tertButyl chloride (HCl method)	•	•	•	276
111,34.	isoPropyl bromide (HBr method)		•		277
III,35.	n-Butyl bromide (HBr - H ₂ SO ₄ method) n-Butyl bromide (KBr · H ₂ SO ₄ method) n-Butyl bromide (red P - Br ₂ method) 1: 4-Diiodobutane (KI - H ₃ PO ₄ method) isoPropyl iodide (HI method) n-Butyl iodide (red P and I ₂ method) n-Hexyl fluoride n-Hexyl fluoride Reactions and characterisation of alkyl halides			•	277
III,36.	n-Butyl bromide (KBr · H ₂ SO ₄ method) n·Butyl bromide (red P · Br ₂ method)				280
III,37.	n-Butyl bromide (red $P - Br$, method)				281
111,38.	1: 4-Diiodobutane $(KI - H_0PO_A method)$				
111,39.	1: 4-Diiodobutane $(KI - H_3PO_4 method)$				
III,40.	n-Butyl iodide (red. P and L. method)	•			285
III,41.	n Havyl Anorida	•	•	•	288
III,42.	Reactions and characterisation of alkyl halides .	•	•	•	289
111,42.	Treactions and characterisation of alkyl handes .	•	•	•	205
	POLYHALOGEN COMPOUNDS				297
III,43.	Chloroform				297
III,44.	Respector	•	•	•	299
III,45.	Todoform	•	•	*	299
111,45.	Mathelene browide	•	•	٠	300
III,46.	Methylene bromide	•	•	•	
III,47.	Metnylene lodide	•	•	•	300
III,48.	Chloroform	•	•	•	301
	ESTERS OF INORGANIC ACIDS				302
III,49.	n Butyl sulphite				303
III,50.	m Butul phoenhoto	•	•	•	304
III,50.	n Dutyl bands	•	•	•	304
	n.Dutyl borate	•	•	•	
III,52.	n-Propyl thiocyanate	•	•	•	305
III,53.	n-Amyl nitrite	•	•	•	
III,54.	1 -Nitro- n -butane ($AgNO_2$ method)	•	•	•	307
111,55.	n-Butyl sulphite n-Butyl phosphate n-Butyl borate n-Propyl thiocyanate n-Amyl nitrite 1-Nitro-n-butane (AgNO ₂ method) Nitromethane	•	•	•	307
	ALIPHATIC ETHERS				309
III,56.	Diethyl ether				310
III,57.	$\mathrm{Di}_{-}n_{-}$ but vl ether				311
111,58.	Ethyl nehexyl ether		•		313
III,59.	cuclo Hexyl ethyl ether	•	•	•	314
III,60.	Reactions and characterisation of alighatic ethers	•	•	•	315
111,00.	Troachons and characterisation of antihatic emers	•	•	•	010
	ALIPHATIC ALDEHYDES				318
	ALITHATIC ALDERT DES				310
III,61.	n-Butyraldehyde		•		320
III,62.	n-Butyraldehyde n-Hexaldehyde (catalyst method)				321
III,63.	n-Hexaldehyde (ethul orthoformate method)				323
III,64.	n-Hexaldehyde (ethyl orthoformate method) n-Hexaldehyde (from n-amyl cyanide)				324
III,65.	Acetaldehyde (from paraldehyde)				324
III,66.	n-Hexaldehyde (from n-amyl cyanide) Acetaldehyde (from paraldehyde) Formaldehyde				325
III,67.	Hexamethylenetetramine (hexamine)		•	·	326
III,68.	Acetal (acetaldehyde diethylacetal)	•	•	•	327
III,69.	Reactions and characterisation of acetals	•	•	•	327
III,70.	Reactions and characterisation of aliphatic aldehydes	•	•	•	330
,,, 0.	received and characterisation of anymatic aldony des	•	•	•	000
	ALIPHATIC KETONES				335
III,71.	Methyl n -hexyl ketone				336
III,72.	Diethyl ketone				338
III,73.	cycloPentanone		•	•	340
III,74.	Reactions and characterisation of aliphatic ketones		•	•	341
III.75.	Acetone over obvidein	•	•	•	24

CONTENTS

x₹

										P	AGE
II1,76.	n-Heptaldoxime										348
II1,77.	Pinacol and pinacol	one									349
III,78.	Diacetone alcohol										351
111,79.	n-Heptaldoxime Pinacol and pinacol Diacetone alcohol Mesityl oxide .										353
•	·										
	SATURATED	ALI	РНА	TIC	MON	ОВА	SIC A	ACID	8		354
III,80.	iso.Butyric acid										355
Ill,81.	n-Heptoic acid										356
III,82.	n-Heptoic acid n-Butyl n-butyrate n-Valeric acid (hydro dl-Methylethylactic										357
111,83.	n-Valeric acid (hydre	olysis	of n-	butyl	cyani	de)					357
III,84.	dl-Methylethylacetic	acid	(carl	onăti	on of	a Grid	mard	reagen	t) .		358
II1,85.	Reactions and chara	cteris	ation	of al	liphati	ic car	boxyli	c acid	s.		360
,					-		•				
A	CID CHLORIDES									3	367
III,86.	Acetyl chloride n-Butyryl chloride										367
III,87.	n-Butvrvl chloride										368
111,88.	Reactions and chara	cteris	ation	ofac	id chl	orides	of ali	phatic	acids		369
,											
AC	OID ANHYDRIDES	s of	AL	IPH.	ATIC	CAR	вох	YLIC	ACII	S	371
111,89.	Acetic anhydride								_		372
III,90.	Acetic anhydride Keten										372
111,91.	n-Caproic anhydride				•						374
III,92.	Succinic anhydride										375
III,93.	Maleic anhydride		-		-	-		-			376
111,94.	Keten n-Caproic anhydride Succinic anhydride Maleic anhydride Reactions and chara	cteri	sation	ofa	cid an	hydri	des (a	liphat	ic)		376
					ESTE						379
**1 05											•
II1,95.	n-Butyl acetate tertButyl acetate	•	•	•	•	•	•	•	•	•	
111,96.	tertButyl acetate n.Butyl formate cycloHexyl acetate Diethyl adipate (aze Diethyl adipate (ben n-Propyl n-valerate iso-Propyl lactate (i	•	•	•	•	•	•	•	•	٠	383
111,97.	n.Butyl formate	•	•	•	•	•	•	•	•	٠	384
111,98.	cyclo Hexyl acetate	•	. • •	. •	.,		•	•	•	٠	385
111,99.	Dietnyl adipate (aze	otrop	ic mi	rture	metno	a).	•	•	•	•	
111,100.	Diethyl adipate (ben	izene	metno	(a)	•	•	•	•	•	•	386
111,101.	n-Propyl n-valerate	•	÷	•	٠.	, .	.7 7	. •	•	•	_
111,102.	iso-Propyl lactate (i	on ex	cnang	ie resi	n cata	uyst m	ietnoa j	•	•	•	387
111,103.	Diethyl maleate (su	ver sa	u me	thoa)	:	•	•	٠	•	•	
111,104.	Ethyl n-valerate (jr	om \mathbf{n}	outyi	cyan	iae)	•	•	•	•	•	
111,105.	Diethyl maleate (sile Ethyl n-valerate (fro Ethyl vinylacetate (Reactions and chara	acia	cniori	ae me	thoa)	. · .	•	•	•	•	
111,106.	Reactions and chara	icteri	sation	ota	npnat	ic este	ers	•	•	•	390
		ALIP	НАТ	IC A	MID:	ES					401
111 107	Acetamide (from am	moni	um a	cetate	or fro	m ace	tic aci	d)			401
111,102	Acetamide (from eth	บไ. กระ	tate\		J. j. 0			~, .	•	•	403
111 109	n·Caproamide .	gr acc	uuc,	•	•	•	•	•	•	•	404
	Reactions and chara	acteri	satio	nofa	linhet	ic am	ides	•	•	•	404
111,110.	Transmond and char	2000II	Julion	. J. a		, Will		•	•	•	
	ALIPHA	TIC	CYA	NID	ES (1	NITR	ILES)			407
III 111	Acetonitrile .										407
		•	nitnila	٠.	•	•	•	•	•	•	408
											#00
111 112	n-Amyl cyanide (n-c				•	•	•	•	•		408
	n-Butyl cyanide (n- Trimethylene dicyar	valer	onitri	le)	· ·	•	•	•		•	408 409

xvi CONTENTS

	AT INTLANT	· a	ACTATES	a				I	PAGE
	ALIPHATI								413
III,116.	Methylamine hydrochloride (fro	m a	cetamide	e)					414
III,117.	Methylamine hydrochloride (fro Dimethylamine hydrochloride Trimethylamine hydrochloride n-Amylamine	m f	ormalin))	•	•	•	•	415
111,118.	Dimethylamine hydrochloride	•	•	•	•	•	•	•	416
111,119.	Trimethylamine hydrochloride	•	•	•	•	•	•	•	
111,12U.	<i>n</i> -Amylamine	•	•	•	•	•	•	•	417
III,121.	n-neptylamine	•	•		•	•	•	•	418 419
III 123	Reactions and characterisation	of a	linhatic	on in	Au	•	•	:	
III.124.	Di.n-butylamine Reactions and characterisation N-Nitrosodimethylamine (dimet	thvl	nitrosan	nine)		•	•	•	426
,		5		,	·	•	•	Ť	
	SUBSTITUTED ALIPHA	TIC	MONO	OBAS	SIC	ACII	os		427
III.125.	Monochloroacetic acid .								428
TTT 10/	36 3	l br	omoacet	tate					400
III,127.	Dichloroacetic acid								431
III,128.	Trichloroacetic acid								431
III,129.	Glycine (aminoacetic acid)	•							432
III,130.	α -Amino- n -caproic acid (norleuc	ine)	•	•		•	•		432
111,131.	Ethyl cyanoacetate	٠,		:.	•	•	•	•	433
111,132.	Reactions and characterisation	ot a	mmo ac	ıds	•	•	•	•	435
111,133.	Urea	•	•	•	•	•	•	•	441
111,134.	Monobromoacetic acid and ethy Dichloroacetic acid. Trichloroacetic acid. Glycine (aminoacetic acid) α-Amino-n-caproic acid (norleuc Ethyl cyanoacetate. Reactions and characterisation of Urea	•	•	•	•	•	•	•	442
	POLYHYDRIC ALCOHO	LS.	FATS	AN	D S	OAPS	3		444
III 125	Samonification of a fat Soan								442
111,133. 111 136	Reactions and characterisation	of n	olwhydr	io alo	Abali	•	•	•	445 446
111,150.	Treactions and characterisation	or b	olynydi	ic aic	OHOL	•	•	•	330
	CARBOHY	ZDF	RATES						449
III 137	w. and A Clusose pents sectate								4 51
111,137	Mucic acid	•	•	•	•	•	•	•	452
III.139.	Reactions and characterisation	of ca	rbolivd	rates				Ċ	453
,	α and β -Glucose penta-acetate Mucic acid Reactions and characterisation Photographs of osazones .			•			to fo	ice	455
	UNSATURATED ALI	PH	ATIC (COMI	POU	NDS			
III.140.	Allyl alcohol			_	_		_	_	459
III,141.	Crotonaldehyde								460
III,142.	ββ-Dimethylacrylic acid .								460
III,143.	Maleic and fumaric acids .								4 61
III,144.	Crotonic acid and vinylacetic ac	id							463
III,145.	Sorbic acid		•					•	466
III,146.	Diallyl (hexadiene 1,5)	•	•	•	•	•	•	•	466
III,147.	2: 3-Dimethyl-1: 3-butadiene	•	•	•	•	•		•	467
111,148.	Dimethylethynyl carbinol	•	•	•	•	•	•	•	467
111,149.	Catalatic adjustion with Adams	•1		•		14	•	•	468
111,150.	Allyl alcohol	pı	ttiiluiii (oxide	cata	lyst	•	•	470
	ETHYL ACE								475
YTY 121			.02211						
111,131. 111 152	Ethyl acetoacetate Ethyl n-propylacetoacetate and		hul a h	+1 1	· rotor	•	•	•	477
111,132.	Emyi w-propylacetoacetate and	11161	лгут <i>п</i> -б	utyi i	reroi	10	•	•	481
	DIETHYL M	MAI	ONAT	E					483
111 152	•			-					
	Diethyl malonate	•	•	•	•	-	•	•	484 485
	Ethyl n-butylmalonate . n-Caproic acid (from ethyl n-buty	dma	lonate)	•	•	•	•	•	486 486
	n-Propylmalonic acid	uma	ionaic j	•	•	•	•	•	488

		CO	NTEN	TS					xvii
	SOME ALIP	HATTC	DICAI	PRO3	ZVI I	7 AC	פתז]	PAGE 489
		iiAIIC	DICAL	VDO2	7 1 111(, AU.	טעו		
III,157.	Malonic acid .		•	•	•	•	•		490
111,158.	Glutaric acid (from to	rimethyle	ne dicyo	inide)	•	•	•		491
111,159.	Pimelic acid (from be Glutaric acid (from c	nzoyi pij	eriaine).	•	•	•		492
111,100.	Adipic acid .	усторени	anone)	•			•		493 494
111,101.	Adipic acid . as-Dimethylsuccinic	 ooid	•	•	•	•	•		494 495
111,102.	as Dimethylsuccure	aciu .	•	•	•	•	•		700
	ALIPHAT	IC SUL	PHUR	COL	MPOU	NDS			496
[11,163.	n-Hexyl mercaptan (n-hexyl	thiol)						497
lII,164.	Di-n-propyl sulphide	•							497
III,165.	Diethyl disulphide								498
III,166.	Potassium ethyl xan	thate.							499
III,167.	Ethyl S-ethyl xantha	ite .							499
111,168.	n-Hexyl mercaptan (Di-n-propyl sulphide Diethyl disulphide Potassium ethyl xan Ethyl S-ethyl xantha Reactions and chara	cterisatio	n of m	ercapt	ans (t	hiols)	•	•	500
	RESOLUTIO:	N OF A	RAC	EMIC	COM	POU	ND		
III,169.	Determination of the Resolution of sec	rotator	y power		••===1\	into			503
111,170.	active components	(d- and	l-2-octs	nol)				· · ·	505
			POUN			~			
	AROM	IATIC I	HYDR	OCAF	RBON	S			508
IV,1.	n-Butylbenzene (Wu	rtz - Fitti	a sunth	esis)					511
IV,2.	iso-Propylbenzene (c	umene)		•	•	•			
IV,3.	iso-Propylbenzene (c tertButylbenzene				•				513
IV,4.	Diplienylniethane								513
1V,5.	Triphenylmethane								515
1V,6.	Ethylbenzene								515
IV,7.	$n \cdot \text{Propylbenzene}$								516
IV,8.	n-Amylbenzene		•		•				517
IV,9.	Diplienylniethane Triphenylmethane Ethylbenzene n.Propylbenzene n-Amylbenzene Characterisation of a	romatic	hydroc	arbon	.	•	•		518
	NITRATION (F ARC	MATI	СНУ	DRO	CARI	BON	s	523
IV,10.	Nitrobenzene								525
IV,10. IV,11.	α-Nitronaphthalene	• •	•	•	•	•	•		526
IV,12.	m-Dinitrobenzene	•	•	•	•	•	•		526
IV,12.	2: 4-Dinitrotoluene	•	•	•	•	:		•	527
lV.14.	$p \cdot B$ romonitrobenzen		•	:					527
IV,15.	2: 2'-Dinitrodipheny		•						527
	Reactions and chara		on of ar	omati	c nitre	com	pour	ıds .	528
	Reactions and chara								531
	HALOGENATION	OF A	ROMA'	TIC 1	HYDI	ROCA	$\mathbf{R}\mathbf{B}$	ONS	53 3
TV 10									FOF
IV,17.	Chlorobenzene		•	•	•	•	•		535 535
IV,18. IV,19.	Bromobenzene m -Bromonitrobenzer		•	•	•	•	•		537
1 4 ,1 7.	w-1510HIOHITTODGUZGI		•	•	•	•	٠		001

xviii CONTENTS

										PAGE
IV,20.	α-Bromonaphthalen	e	•	•	•	•	•	•	•	. 537
IV,21.	Iodobenzene . Benzyl chloride (chl Benzyl chloride (chl	•	٠.		•	•	•	•	•	. 538
IV,22.	Benzyl chloride (chl	orinati	on of	tolue	ne)		•	•	•	. 538
IV,23. IV,24.	Todobopropo diabler	ida 	nyiai	on oj	oenze	ne)	•	•	•	. 539
	Iodobenzene dichlor Iodosobenzene Iodoxybenzene Diphenyliodonium i	nae	•	•	•	•	•	•	•	. 541
IV,25. IV,26.	Todosobenzene	•	•	•	•	•	•	•	•	. 541
IV,20. IV,27.	Diphopuliodopium i	adida	•	•	•	•	•	•	•	. 542
IV,27. IV,28.	Reactions and cha	ouiue rootori	igatio	. _^	halor	· ropoto		matia	hvidae	. 542
14,20.	carbons .	lactor	isavio	01	IIdio	gonavoc	aio	illatic	nyuic	,. . 542
	carbons .	•	•	•	•	•	•	•	•	. 042
	•									
	SULPHONATION	OF	ARC)MA	CIC I	HYDR	COCA	RBO	S	548
IV,29.	Sodium hanzanagula	honat	_							. 549
IV,30.	Sodium a toluenesul	Inhone	t A	•	•	•	•	•	•	
IV,31.	Sodium 8-naphthale	nesulr	hone	te	•	•	•	•	•	. 551
IV,32.	Sodium benzenesulp Sodium p -toluenesul Sodium β -naphthale p-Toluenesulphonic	acid	mona		•	•	•	•	•	. 552
IV,33.	Reactions and chara	cteris	ation	of ar	omati	e sulpł	onic	ecids.	•	. 552
IV.33A.	p-Toluenesulphonic Reactions and chara Reactions and chara	cteris	ation	of ar	omati	c sulpi	ionan	nides		
,							-			
A T		4 NTT	MIT	TOTO	OTM	DIE TO	DED.	T T T A PT	rrec	
AF	ROMATIC AMINES	ANL) IH	LIK	2171	PLE.	DER.	IVAT	IVES	559
IV,34.	Aniline									. 563
IV,35.	β-Plienylethylamine									. 566
IV,36.	β-Plienylethylamine α-Phenylethylamine	•						•	_	. 567
IV,37.	α-Naphthylamine β-Naphthylamine Benzylamine (Gabrie Pure methylaniline								•	. 568
1 V,3 8.	β-Naphthylamine					•			•	. 568
I V,39.	Benzylamine (Gabrie	el synt)	resis)		•	•			•	. 569
IV,40.	Pure methylaniline	from c	omme	ercial	metl	ylanili	ne	•	•	. 570
IV,41.	Benzylaniline . Dimethylaniline p -Nitrosodimethylan m -Nitroaniline	•	•	•	•	•	•	•	•	. 572
IV,42.	Dimethylaniline	:	•	•	•	•	•	•	•	. 572
IV,43.	<i>p</i> -Nitrosodimethylar	ilme	•	•	•	•	•	•	•	. 573
IV,44.	m-Nitroaniline	•	•	•	•	•	•	•	•	. 574
	ACETYLAT	rion	OF.	ARO	MAT	IC AM	IINE	S		576
IV,45.	Acetanilide .									. 577
IV,46.	Discetyl-a taluidine	•	•	•	•	•	•	•	•	. 578
IV,47.	2 · 4 · 6. Tribromosco	etanili	de	•	•	•	•	•	•	. 579
IV,48.	n-Bromoacetanilide							·		. 580
IV,49.	p-Bromoaniline									. 580
IV,50.	p.Nitroacetanilide	•					_			. 581
IV,51.	Diacetyl-o-toluidine 2:4:6-Tribromoace p-Bromoacetanilide p-Bromoaniline p-Nitroacetanilide p-Nitroaniline					•				. 581
•	-									
	BENZOYLA	TION	OF	A D C	M A TI	PTC A	MINI	PQ.		582
	DENZOTEA	HON	Or	AIV) IVILEY I	IIC A	MITIMI	20		964
IV,52.	Benzanilide (Schotter	ı - Bau	mann	react	ion)			• •		. 582
IV,53.	Benzanilide .		•		•	•				. 583
IV,54.	Hippuric acid (benze	yl gly	cine)					•	•	. 584
	SULPHONA	TION	OF	ARC	та ма	TC AT	MINI	25		585
	BOLLHONA	TION	OI.	AIW	, MLEX L	IIO AI		والا		900
IV,55.	Sulphanilic acid	•						•		. 586
IV,56.	Naphthionic acid					•	•	•		. 58 6
IV,57.	Orthanilic acid	•	•			•		•		. 587
IV,58.	Metanilic acid			_		_				. 589

CONTENTS

xix

	DIA	ZONI	um s	ALT	S				F	PAGE 590
IV,59.	Solid phenyldiazonium ch		_		•					597
IV,60.				•	•	•	•	•	•	598
IV,61.	Iodobenzene p-Chlorotoluene .		•	•	•		•	•	•	600
IV,62.	p·Bromotoluene (Sandme	uer re	action)				•	•	:	602
IV,63.	m-Bromotoluene .		_	_					·	~~=
I V,64.	o-Bromotoluene (Gatterme	ann re	action)							606
IV,65.	Benzenesulphinic acid		•							607
IV,66.	Benzenesulphinic acid p-Tolunitrile (p-tolyl cyan	nide)								607
l V,67.	Fluorobenzene .	•								609
IV,68.	Fluorobenzene o Dinitrobenzene Phenol (from aniline) m-Nitrophenol Toluene (from p-toluidine symTribromobenzene 3:3'-Dimethyldiplienyl Diphenic acid (from antho Phenylarsonic acid .									612
IV,69.	Phenol (from aniline)		•							613
IV,70.	m-Nitrophenol .		•							614
IV,71.	Toluene (from p-toluidine).	•							615
1V,72.	$sym.$ -' Γ ribromobenzene	•		•			•	•	•	615
IV,73.	3: 3'-Dimethyldiplienyl	•	•				•			616
IV,74.	Diphenic acid (from anthr	ranilio	acid)	•	•	•	•		•	617
IV,75.	Phenylarsonic acid .	•	•		•			•		617
	SOME	AZO	DYES	TUE	FFS					620
IV,76.	Dhanal are A membahal									600
1V,70.	Phenyl-azo-β-naphthol	•	•	•	•	•	•	•	•	622
IV,77.	Thenyl-azo-p-naphthol Chrysoidine	•	•	•	•	•	•	•	•	
IV,79.	Orange II (6 paplithal or	ongo)	•	•	•	•	•	•	•	
IV,80.	Methyl red	ango,	•	•	•	•	•	•	•	
IV,81.	Diazoarninobenzene	•	•	•	•	•	•	•	•	626
IV,82.	n-Amino-azobenzene	•	•	•	•	•	•	•	•	627
1,,02.	p-imilio uzobolizolio.	•	•	•	•	٠.	•	•	•	· ·
	INTERMEDIATE PRO NITRO					EDU	CTIO	N O	F	628
117.02										440
1V,83.	B-Phenyinyuroxylamine	•	•	•	•	•	•	•	•	
IV,84.	β-Phenylhydroxylamine Nitrosobenzene . Azoxybenzene . Azobenzene . Hydrazobenzene (symdip Benzidine .	•	•	•	•	•	•	•	•	630
1V,85.	Azoxybenzene	•	•	•	•	•	•	•	٠	631
IV,86.	Azobenzene	nh.m	Ibreden	~i~~)	•	•	•	•	•	631 632
IV,87. IV,88.	Rongidino	pneny	myara	ZIIIO)	•	•	•	•	•	633
14,00.	Benziume	•	•	•	•	•	•	•	•	033
	TION OF DIAZONIUM									635
IV.89.	Phenylhydrazine .	_		_	_	_	_	_		636
IV,90.	Phenylhydrazine p -Nitrophenyllydrazine p : 4-Dinitrophenylhydrazine					:	•	•	•	637
lV,91.	2: 4-Dinitrophenylhydraz	zine	-		•		-	·		638
,	AROM					Ť	·	·		640
			2							
IV,92.		•	•	•	•	•	•	•	•	640
IV,93.	m-Phenylenediamine	•	•	•	•	•	•	•	٠	641
	MISCELLANEOUS C		OUND 7 AMI			ED	FRO	M		
IV,94.	Thiocarbanilide (symdip	henvil	hioure	۱۵						642
1V,94. 1V,95.	Plienyl iso-thiocyanate (fi				۱۵)	•	٠	•	•	642
1V,95. 1V,96.	Plienyl iso-thiocyanate (fr				-1	•	•	•	•	643
IV,90. IV,97.	Plienylurea (cyanate metho		·uine)	•	•	•	•	•	•	644
I V,97. I V,98.	Phenylurea (urea method)	,		•	•	•	•	•	•	645
IV,99.	p-Iodoaniline					•	•	•	•	647
IV 100	Reactions and characteris	ation	of arou	matic	annin	A2	-	•	•	648

xx CONTENTS

			PHE	NOL	S						AGE 664
IV 101	p-Cresol . β-Naphthol . Phenyl acetate . Anisole . Phenyl n-butyl ether Reactions and chara o-Propiophenol and go- and p-nitrophenol 2: 4-Dinitrophenol Picric acid (2: 4: 6-p-Bromophenol o-Bromophenol p-Iodophenol . Reactions and characteristics										667
IV 101.	P-Cresor	•	•	• /	•	•	•	•	•	•	667 668
IV 102.	Phenyl acetate	•	•	•	•	•	•	•	•	•	669
IV 104	Anisole	•	•	•	•	•	•	•	•	•	669
IV.105	Phenyl n-hutyl ether	r r	•	•	-	•	•	•	•	•	671
IV.106.	Reactions and chara	cteris	ation	of ar	omatic	ether	·s	•	•	•	671
IV.107.	a-Propiophenol and	n-proi	nionh	enol	-			•	•	•	676
IV.108.	a_n and a_n -nitrophenol	s S					:	•	•	•	677
IV.109.	2:4-Dinitrophenol								•	•	678
IV,110.	Picric acid (2 : 4 : 6.	trinit	rophe	nol)							678
IV,111.	p-Bromophenol		. *	• 1					•		679
IV,112.	o-Bromophenol										679
IV,113.	$p \cdot \text{Iodophenol}$.										680
IV,114.	Reactions and chara	cteris	ation	of ph	enols	•	•	•	•	•	681
					EHYI						689
137 115											
IV,115.	Benzaldehyde . p-Bromobenzaldehyde p-Nitrobenzaldehyde p-Tolualdehyde β-Naphthaldehyde α-Naphthaldehyde (& Mesitaldehyde . Salicylaldehyde		•	•	•	•	•	•	•	•	604
IV,110.	m Nitrobongaldebyde	10	•	•	•	•	•	•	•	•	094
IV 118	n-Tolueldehyde	,	•	•	•	•	•	•	•	•	607
IV.110	6-Nanhthaldehyde	•	•	•	•	•	•	•	•	•	608
IV.120.	α-Naphthaldehyde (δ	Sommi	elet re	action	2)	•	•	•	•	•	700
IV.121.	Mesitaldehyde	30110110		acres	,	•	•	•	•	•	701
IV.122.	Salicylaldehyde				•	•	-	•	•	•	703
- · , - ·		•	•	•	•	•	•	•	•	•	•••
CON	IDENSATION REA	CTIO	NS (OF A	ROM	ATIC	ALI	ЕНУ	DES		706
IV,123.	Benzyl alcohol and b	enzoi	c acid	l (Car	ınizzar	o reac	(ion)				711
IV,124.	Cinnamic acid .	•	•	•	•	•	•	•	•		712
IV,125.	Benzyl alcohol and benzyl alcohol and benzyl acid. Benzil	•	•	•	•	•	•		•	•	714
IV,126.	Benzil	•	•	•	•	•	•		•	•	714
IV,127.	Benzilic acid .	•	•	•	•	•	•	•	•	•	715
IV,128.	Benzalacetone.	•	•	•	•	•	•	•	•	•	716
IV,129.	p-Nitrostyrene.	, /-1-1-	•	•	•	•	•	•	•	•	717
IV,130.	Benzalacetophenone	(cnaic	one)	•	•	•	•	•	•	•	718
IV,131. IV,132.	A Dipopopulo arrilo a d	:4 /9	. 4	at byd	· ·		:-	مونطا	•	•	718
IV,132. IV,133.	priperonylacryne ac	nag	· #-111	ecnyn	9119(110)	хусии	1811110	aciu)	•	•	719
IV,134.	Hydrobenzemide	1103	•	•	•	•	•	•	•	•	790
IV,135.	α- and β-Benzaldoxin Hydrobenzamide Reactions and charac	cterise	ition	ofaro	· omatic	aldeh	vdes	•	•	•	720
- , , _ ,	270WOTOLD WILL OHATE	0002-00		01 01	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ulu (i	.j 402	•	•	•	• 20
	AI	ROMA	TIC	KE'	ONE	s					725
IV.136.	Acetophenone .										729
IV,137.	Butyrophenone .										732
I V ,138.	$p \cdot Bromoacetophenon$						•				732
IV,139.	Benzophenone										733
IV,140.	Benzylacetophenone					•					734
IV,141.	Methyl benzyl ketone				•						734
IV,142.	Phloroacetophenoue.				•	•					736
IV,143.	α-Tetralone			•	•	•		•			737
[V,144.	o-Benzoylbenzoic acid	1	•	•	•	•	•	•			739
IV,145.	Anthraquinone .		•	•	•	•	•	•	•		740
[V,146.	Anthrone		D1	•	•	•	•	•	•		740
[V,147.	Benzophenone oxime							•	•		741
LV 148.	Reactions and charac	terisa	tion (or aro	matic	Keton	es				741

CONTENTS	CO	NTENTS	,
----------	----	--------	---

xxi

			QUIN	ONE	S					P	AGE 745
TV 140	p-Benzoquinone ("q	in.	no '''								745
IV 150	1 · 2 · Naphthoguinor		10)	•	•	•	•	•	•	٠	746
IV 151	1: 2-Naphthoquinon Quinhydrone . Reactions and chara	10	•	•	•	•	•	•	•	:	747
IV 152	Reactions and chara	cteris	sation	of ani	nones	•	•	•	•	:	747
11,102.	Troactions and chara	CUCII	e cion	or qui	1101103		•	•	•	•	
	AROMA	TIC	CAR	BOX	YLIC	ACI	DS				751
1V,153.	Benzoic acid . p-Nitrobenzoic acid 2: 4: 6-Trinitrobenzoic acid 2: 4-Dinitrophenyla o-Chlorobenzoic acid Terephthalic acid o-Toluic acid . Phenylacetic acid (from Politrophenylacetic)										755
IV,154.	p-Nitrobenzoic acid							•			757
IV,155.	2:4:6-Trinitrobena	zoic a	cid								758
IV,156.	2: 4-Dinitrophenyla	cetic	acid		•			•	•		758
IV,157.	o-Chlorobenzoic acid										758
IV,158.	Terephthalic acid							•			760
lV,159.	o-Toluic acid .										760
IV,160.	Phenylacetic acid (fr	rom b	enzyl c	yanid	c)	•		•	•		761
IV,161.	p·Nitrophenylacetic	acid		•	•						763
IV,162.	p-Aminophenylacetic	e acid	ì			• .					764
IV,163.	α-Naphthoic acid							•			764
IV,164.	β-Naphthoic acid										76€
IV,165.	Diphenic acid (from	pheni	un t hre	ne)							768
lV,166.	Hydrocinnamic acid	•									768
lV,167.	m-Nitrobenzoic acid										769
IV,168.	3:5-Dinitrobenzoic	acid									770
IV,169.	Homophthalic acid										771
IV,170.	Anthranilic acid										773
IV,171.	Diphenylacetic acid										773
IV,172.	Mandelic acid .										774
IV,173.	Salicylic acid .										774
IV,174.	Phenylpropiolic acid										776
lV,175.	Phenylacetic acid (fr p·Nitrophenylacetic p-Aminophenylacetic α-Naphthoic acid β-Naphthoic acid Diphenic acid (from Hydrocinnamic acid m-Nitrobenzoic acid 3:5-Dinitrobenzoic Homophthalic acid Anthranilic acid Diphenylacetic acid Mandelic acid . Salicylic acid . Phenylpropiolic acid Reactions and chara	cteris	sation	of aro	matic	carbo	oxylic	acids			777
			MATI								780
IV 176	Mothel hongonto										781
1V,170.	Methyl benzoate	•	٠,	•	•	•	•	•	•	•	782
1V,177.	Ropayl costete	•	•	•	•	•	•	•	•	:	783
1V,170.	Ethyl phonylectete	•	•	•	•	•	•	•	•	:	783
IV 180	Phonyl sinnamata		•	•	•	•	•	•	•	:	784
IV 181	Phonyl bongoete	•	•	•	•	•	•	•	•	•	784
IV 182	Ethyl ~ nanhthoate	•	•	•	•	•	•	•	•	•	785
IV 182.	Methyl salicylate Benzyl acetate Ethyl phenylacetate Phenyl cinnamate Phenyl benzoate Ethyl α-naphthoate Reactions and chara	Otoris	estima	· of aro	matic	ester-	•	•	•	•	785
17,100.	Treactions and chara	COOLIC	auton	or aro	macic	OSUCI.	3	•	•	•	•••
	AROM	ATI	C AC	ID CI	HLOF	RIDE	S				791
IV,184.	p-Nitrobenzoyl chlor	ide						•			791
IV,185.	Benzoyl chloride	•	•	•	•	•	•	•	•	٠	792
	AROMA	ATIC	ACI	D AN	HYD	RID	ES				794
IV.186	p-Chlorobenzoic anh	vdrid	A				_				794
IV,187.	Reactions and chara	cteris	ation	of acid	d chlo	rides o	of aron	natic a	acids	:	795
	ARC)M A'	PIC A	CID	AMII	DES					797
1V 100											797
	Benzamide .	•	•	•	•	•	•	•	•	•	797
	Mercury benzamide	•	•	•	•	•	•	•	•	•	798
	o Toluamide .			.f ~==	·		· ·tio o-	nides	•	•	798
IV,171. IV 102	Reactions and chara Reactions and char	CLUTIS	.ico+i^-	or bin	mary onbot:	eroms	oron	natio	amide		. 50
14,192.	(aromatic acylatec			. 01		. u.ea	aron	iauic	,	,	801

xxii CONTENTS

		AROM	ATIC	Nľ	rril	ES				P	AGE 803
IV 103	Renzonitrile										803
IV.194	Benzonitrile . Veratronitrile . Reactions and cha	•	•	•	•	•	•	•	•	•	804
IV.195.	Reactions and ch	aracteris:	ation	ofar	omat	ic niti	riles		•	•	805
1,1,0.	Trouchons and on	arao corre	201011	01 01	Omac	10 11101	1100	•	•	•	000
	SOME AROM										807
IV.196.	Benzovl peroxide										807
IV.197.	p-Nitrobenzovl pe	eroxide	•			•					808
IV.198.	Perbenzoic acid (benzovl l	ivdro	gen 1	perox	ide)					808
IV,199.	Benzoyl peroxide p-Nitrobenzoyl per Perbenzoic acid (Monoperphthalic	acid	•	,	•		•		•		810
•											
		AROMA	ATIC	AL	сон	OLS					811
IV.200.	p-Tolyl carbinol (p-methy	l benz	vl al	cohol) .					812
IV,201.	Benzhydrol (diph	envlcarb	inol)	•							812
IV,202.	Triphenylcarbinol	۱ ٌ.	•								813
IV,203.	Triphenylchlorom	ethane	•								815
IV,204.	β-Phenylethyl alc	ohol									816
IV,205.	Benzhydrol (diph Triphenylcarbinol Triphenylchlorom β-Phenylethyl alc Reactions and che	aracteris	ation	of ar	omat	ic alco	oliols			•	817
	COMPOUN		RIV	ED I	FROI	M AF					820
TT/ 20/	D 11										000
1V,2U6.	Benzenesulphony	i chioride	•	•	•	•	•	•	•	•	822
17,207.	p-Toluenesulphon	yı enleri	ae	· m	•	•	•	•	•	•	822
17,208.	Dichioramine-I a	na enior	amme)- I	•	•	•	•	•	•	823 824
IV,209.	Baccharm .		•	•	•	•	•	•	•	•	825
IV,210.	Sodium a toluone	sulphone aulphina	***	•	•	•	•	•	•	•	826
IV.212.	p-Toluenesulphon Dichloramine-T a Saccharin . n-Butyl p-toluene Sodium p-toluene Thiophenol	surprima	re	•	•	•	•	•	•	•	827
1 , 212.	тторпеног .	•	•	•	•	•	•	••	•	•	
CHAPTER V SOME HETEROCYCLIC AND ALICYCLIC COMPOUNDS											
V,1.	Quinoline .						_			_	829
v,2.	Quinaldine Furfuryl alcohol a 2-Furfuralacetone Furylacrylic acid Furoin Furil 2-Methylthiophen	•	•	•	•	•	•	•	·		831
V,3.	Furfuryl alcohol a	and furoi	e acid	ľ	•	•	•	•			832
V,4.	2-Furfuralacetone			•			•	•			833
V,5.	Furvlacrylic acid		:		•		•	•			834
V,6.	Furoin .	•	•	•	•	•	•				835
V,7.	Furil .	•	•	•	•	•	•	•	•	•	835
V,8.	2-Methylthiophen	e .	•	•	•	•			·		836
V,9.	2:5-Dimethylthic	ophene	•		·	·					836
V,10.	2.Acetylthiophene		•	•	•	•	•	·	•		837
V,11.	Pyrrole	•			•		•				837
V,12.	2:5-Dimethylpyr	role		•	•					•	838
V,13.	$2:4\cdot Dimethyl\cdot 3:$		ethor	יעמעי	role					•	839
V,14.	Succinimide .	· · · ·		JPJ'					•	•	840
V,15.	2-Aminothiazole	•	•	•	•	•	•		•	•	840
V,16.	2: 4-Dimethylthia	2701e	•	•	•	•	•	•	•	•	841
V,10. V,17.	2: 5-Dimethylpyr		•	•	•	•	•	•	•	•	842
V,17. V,18.	5: 5-Dimethylpyd		•	•	•	•	•	•	•	•	843
V,10. V,19.	4-Ethylpyridine (from maes	dina!	•	•	•	•	•	•	•	844
4 91 7.	 թունւհներութ ()	nom pyri	wire)	•	•	•	•	•	•	•	0.24

CONTENTE	
CONTENTS	XX111
00112=1120	2411

							J	PAGE
V,20.	n-Amylpyridines (from picoli	nes)	•		•		•	845
V,21.	Picolinic acid	•	•	•				847
V,22.	Nicotinic acid	•	•		•	- •		848
V ,23 .	Figure and	•		•	•			849
V,24.	β-Cyanopyridine							850
V,25.	Uramil			•				850
V,26.	2.Phenylindole							851
V,27.	Benzimidazole	•						853
V,28.	4-Methylcoumarin	•	•	•	•	•	•	853
V,29.	4-Methylcoumarin 2-Hydroxylepidine (4-methyl	Ioarboets	rril\	•	•	•	•	0 = =
V,30.	Phenylbenzoyldiazomethane	icai bosij	y 1 1 1 <i>y</i>	•			•	856
•		•	•	•	•		•	856
V,31.	2-Carbethoxycyclopentanone	•	•	•	• -14		12 -	
V,32.	cycloButane 1: 1-dicarboxyl	ic acia	and	cycı	oblita	necaro	oxyne	
	acid	•	•	•	•		•	857
V,33.	cycloPropanecarboxylic acid	•	•	•	•		•	859
	СНА	PTER	VI					
	MISCELLANE	ous i	REAC	TION	IS			,
VI,1.	Acetylacetone	•						861
VI,2.	Benzoylacetone Phenylglyoxal Apparatus for reactions under Raney nickel (catalyst) Copper - chromium oxide cat Hexamethylene glycol (1:6-]							865
VI,3.	Phenylglyoxal							866
VI,4.	Apparatus for reactions unde	er pressu	re	_				866
VI,5.	Ranev nickel (catalyst) .							870
VI,6.	Copper - chromium oxide cat	alvst	Ī				·	872
VI,7.	Heyamethylene glycol (1 · 6»	Hevaned	liol)	•	•	•	•	873
VI,8.	Apparatus for reactions under Raney nickel (catalyst). Copper - chromium oxide cat Hexamethylene glycol (1:6-1 Ethyl β-phenyl-β-hydroxyprosphene). Dimethylglutaric acid. Reductions with lithium alum Reductions with potassium (Reductions with aluminium. The Oppenauer oxidation. Oxidation of unsaturated con	nionata	1101)	•	•	•	•	874
VI,9.	88. Dimethylalutaric acid	pionato		•	•	•	•	876
V1,10.	Reductions with lithium alu	minium l	hvdnid	•	•	• •	•	877
V1,10. V1,11.	Deductions with notessium (myuriu				•	881
	Deductions with potassium (or soulu	m) bor	onyar	ide	• •	•	
VI,12.	Reductions with aluminium	aikoxide	8	•	•		•	882
VI,13.	The Oppenauer oxidation .		٠.,		•	• ;		886
VI,14.		mpound	with	ozoniz	ea ox	ygen (ozono.	
*** 4 5	lysis)		٠	•	٠.		•	888
VI,15.	Epoxidation and hydroxylat	ion of et	hyleni	c com	pound	s .	•	893
VI,16.	Reactions in liquid ammonia	ı. Some	e acety	lenic c	ompo	\mathbf{unds} .	•	895
VI,17.	The Arndt-Eistert reaction	•	•	•	•			
V1,18.	The Darzens glycidic ester co	ondensat	tion					906
VI,19.	The Erlanmeyer extentione re	action			•			907
VI,20.	The Mannich reaction .	•						910
VI,21.	The Michael reaction .	•			•			912
VI,22.	The Mannich reaction The Michael reaction Cyanoethylation The Schmidt reaction or rear The Stobbe condensation The Willgerodt reaction The Wohl-Ziegler reaction.							914
VI,23.	The Schmidt reaction or rear	rangeme	ent					917
VI,24.	The Stobbe condensation .	·						919
VI,25.	The Willgerodt reaction .				_			923
V1,26.	The Wohl-Ziegler reaction.	Applic	ations	of N	brome	succi	nimide	926
VI,27.	Synthesis of unsymmetrical	diarvls		•				927
VI,28.	Syntheses with organolithiur		unds	•	_			928
V1,29.	Syntheses with organosodium	n compo	unds					933
V1,30.	Syntheses with organocadmi	um com	naunde		•	•	•	935
V1,30. VI,31.	Some electrolytic syntheses	шп (OIII)	pounds	•	•		•	937
	The diene synthesis (Diels-A	lder rocc	tion)	•	•	•	•	941
V1,32.	Come applications (Diels-A	tomant.	:0.011)	+:	•	• •	•	941
V1,33.	Some applications of chroma					•	£	
VI,34.	Ring enlargement with	uiazome	mane.	cyclo	nepte	ruone	from	
*** **	cyclohexanone	• • •		٠,	•		•	946
VI,35.	Dehydrogenation of hydroar				•.•		•	947
VI,36.	Preparation of palladium car						•	949
V1,37.	Oxidation with lead tetra-ac	etate. 1	1-Buty	ı giyo:	kylate	•	•	951

CONTENTS

CHAPTER VII

ORGANIC REAGENTS IN INORGANIC AND ORGANIC CHEMISTRY

							PAGE
VII,1.	Dimethylglyoxime				•		. 953
VII,2.	Dimethylglyoxime				•		. 954
VII,3.	Diphenylcarbazide				•		. 954
VII,4.	Diphenylcarbazone						. 955
VII,5.	Dithizone (diphenylthiocarbazone)						. 955
VII,6.	Cupferron						. 957
VII,7.	Salicylaldoxime						. 957
VII,8.	α-Benzoinoxime						. 958
VII,9.	Semicarbazide hydrochloride Diphenylcarbazide Diphenylcarbazone Dithizone (diphenylthiocarbazone) Cupferron Salicylaldoxime α-Benzoinoxime α-Nitroso-β-naphthol Ammonium salt of aurin tricarboxyl						. 958
VII,10.					on ")		. 959
VII,11.	$p ext{-Nitrobenzene-azo} \cdot \alpha - \text{naphthol}$. $p ext{-Bromophenacyl bromide}$. $p ext{-Nitrobenzyl bromide}$. $p ext{-Phenylphenacyl bromide}$.						. 960
VII,12.	p-Bromophenacyl bromide .						. 960
VII,13.	p-Nitrobenzyl bromide						. 961
VII,14.	p.Phenylphenacyl bromide .						. 962
VII,15.					ro-res	orcinol). 963
VII,16.	Xanthhydrol						. 964
VII,17.	1:3:5-Trinitrobenzene						. 965
VII,18.	S-Benzyl-iso-thiuronium chloride						. 965
VII,19.	3-Nitrophthalic anhydride .						. 966
VII,20.	Diazomethane						. 967
V11,21.	3:4:5-Triiodobenzoyl chloride						. 973
VII,22.	3:5-Dinitrobenzoyl chloride .						. 974
VII,23.	1: 2-cycloHexanedione-dioxime (niox	cime)					. 974
VII,24.	5: 5-Dimethyl-1: 3-cyclohexanedione Xanthhydrol						. 975
VII,25.	Girard's reagents "T" and "P"						. 976
VII,26.	Pseudo-saccharin chloride .						. 978
	CHAPTER	VIII					
DYE	STUFFS INDICATORS AND	REI	ΑT	ED (COM	POUN	NDS
DYE	STUFFS INDICATORS AND	REI	AT.	ED (COM	POUN	IDS 979
DYE	STUFFS INDICATORS AND	REI	. AT .	ED (COM :	POUN	NDS . 979
DYE VIII,1. VIII,2. VIII.3	STUFFS INDICATORS AND	REI	. AT :	ED (COM!	POUN :	NDS . 979 . 980
DYE VIII,1. VIII,2. VIII,3.	STUFFS INDICATORS AND	REI	• AT :	ED (COMI	POUN	IDS . 979 . 980 - 981
DYE VIII,1. VIII,2. VIII,3. VIII,4.	STUFFS INDICATORS AND	REI	.AT:	ED (COM!	POUN : : :	NDS - 979 - 980 - 981 - 982
DYE VIII,1. VIII,2. VIII,3. VIII,4. VIII,5.	STUFFS INDICATORS AND	REI	.AT.	ED (: : :	POUN : : :	NDS - 979 - 980 - 981 - 982 - 983
DYE VIII,1. VIII.2. VIII,3. VIII,4. VIII,5. VIII,6. VIII.7.	STUFFS INDICATORS AND	REI	. AT.	ED (COM	POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984
DYE VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII.8.	STUFFS INDICATORS AND	REI		ED (COM	POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985
DYE VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,8.	STUFFS INDICATORS AND	REI	.AT:	ED (POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985 - 987
DYE VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,9. VIII,10.	STUFFS INDICATORS AND	REI	AT:	ED (COM	POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985 - 987 - 987
DYE VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,9. VIII,10.	STUFFS INDICATORS AND	REI	.AT.	ED (COM	POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985 - 987 - 989
DYE VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,10. VIII,111.	STUFFS INDICATORS AND	REI	.AT:	ED (: : : : :	POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985 - 987 - 989 - 991
DYE VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,7. VIII,8. VIII,9. VIII,10. VIII,111. VIII,112.	STUFFS INDICATORS AND	REI	.AT:	ED (COM1	POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985 - 987 - 989 - 991 - 991
DYE VIII,1. VIII,2. VIII,3. VIII,5. VIII,6. VIII,7. VIII,8. VIII,9. VIII,10. VIII,112. VIII,113. VIII,113.	STUFFS INDICATORS AND	REI	. AT:	ED (POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985 - 987 - 987 - 989 - 991 - 991 - 992
DYE VIII,1. VIII,2. VIII,3. VIII,5. VIII,6. VIII,7. VIII,8. VIII,9. VIII,10. VIII,11. VIII,12. VIII,13.	STUFFS INDICATORS AND	REI		ED (COM!	POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985 - 987 - 989 - 991 - 991 - 992
DYE VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,10. VIII,11. VIII,12. VIII,13. VIII,14.		REL	AT:	ED (COM	POUN	NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985 - 987 - 987 - 989 - 991 - 991 - 992 - 993
DYE VIII,1. VIII,2. VIII,3. VIII,5. VIII,6. VIII,7. VIII,8. VIII,10. VIII,11. VIII,12. VIII,13. VIII,14.	Congo red Indigo Alizarin Crystal violet Copper phthalocyanine (Monastral F Phenolphthalein Fluorescein and eosin pp Tetramethyldiaminodiphenylmet o-Sulphobenzoic anhydride Sulphonephthaleins N-Phenylanthranilic acid 1:10-Phenanthroline 2:2'-Dipyridyl Ninhydrin (indane-1:2:3-trione hydrolegy)	REL					NDS - 979 - 980 - 981 - 982 - 983 - 984 - 985 - 987 - 989 - 991 - 991 - 992 - 993
VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,10. VIII,11. VIII,11. VIII,12. VIII,13. VIII,14.	Congo red Indigo Alizarin Crystal violet Copper phthalocyanine (Monastral F Phenolphthalein Fluorescein and eosin pp Tetramethyldiaminodiphenylmet o-Sulphobenzoic anhydride Sulphonephthaleins N-Phenylanthranilic acid 1:10-Phenanthroline 2:2'-Dipyridyl Ninhydrin (indane-1:2:3-trione hydride) CHAPTER SOME PHYSIOLOGICALLY Aspirin (acetylsalicylic acid)	REI Blue) Chane Chane Chane Chane Chane Chane					. 979 . 980 . 981 . 982 . 983 . 984 . 985 . 987 . 987 . 989 . 991 . 991 . 992 . 993
VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,10. VIII,11. VIII,11. VIII,12. VIII,13. VIII,14.	Congo red Indigo Alizarin Crystal violet Copper phthalocyanine (Monastral F Phenolphthalein Fluorescein and eosin pp Tetramethyldiaminodiphenylmet o-Sulphobenzoic anhydride Sulphonephthaleins N-Phenylanthranilic acid 1:10-Phenanthroline 2:2'-Dipyridyl Ninhydrin (indane-1:2:3-trione hydride) CHAPTER SOME PHYSIOLOGICALLY Aspirin (acetylsalicylic acid)	REI Blue) Chane Chane Chane Chane Chane Chane					. 979 . 980 - 981 . 982 . 983 . 984 . 985 . 987 . 987 . 991 . 991 . 992 . 993
VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,10. VIII,112. VIII,112. VIII,13. VIII,14.	Congo red Indigo Alizarin Crystal violet Copper phthalocyanine (Monastral F Phenolphthalein Fluorescein and eosin pp Tetramethyldiaminodiphenylmet o-Sulphobenzoic anhydride Sulphonephthaleins N-Phenylanthranilic acid 1:10-Phenanthroline 2:2'-Dipyridyl Ninhydrin (indane-1:2:3-trione hydride) CHAPTER SOME PHYSIOLOGICALLY Aspirin (acetylsalicylic acid)	REI Blue) Chane Chane Chane Chane Chane Chane					. 979 . 980 - 981 - 982 . 983 . 984 . 985 . 987 . 989 . 991 . 991 . 993
VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,10. VIII,112. VIII,112. VIII,113. VIII,14. IX,1. IX,2. IX,3.	Congo red Indigo Alizarin Crystal violet Copper phthalocyanine (Monastral F Phenolphthalein Fluorescein and eosin pp Tetramethyldiaminodiphenylmet o-Sulphobenzoic anhydride Sulphonephthaleins N-Phenylanthranilic acid 1:10-Phenanthroline 2:2'-Dipyridyl Ninhydrin (indane-1:2:3-trione hydride) CHAPTER SOME PHYSIOLOGICALLY Aspirin (acetylsalicylic acid)	REI Blue) Chane Chane Chane Chane Chane Chane					. 979 . 980 - 981 . 982 . 983 . 984 . 985 . 987 . 989 . 991 . 991 . 993 . 993
VIII,1. VIII,2. VIII,3. VIII,4. VIII,5. VIII,6. VIII,7. VIII,8. VIII,10. VIII,112. VIII,112. VIII,13. VIII,14.	Congo red Indigo Alizarin Crystal violet Copper phthalocyanine (Monastral F Phenolphthalein Fluorescein and eosin pp -Tetramethyldiaminodiphenylmet o-Sulphonephthaleins N-Phenylanthranilic acid 1:10-Phenanthroline 2:2'-Dipyridyl Ninhydrin (indane-1:2:3-trione hyd CHAPTER SOME PHYSIOLOGICALLY	REI Blue) Chane Chane Chane Chane Chane Chane					. 979 . 980 - 981 . 982 . 983 . 984 . 985 . 987 . 989 . 991 . 991 . 993

CONTENTS	XXV

			PAGE
1X,7.	Diethylbarbituric acid (veronal)		1002
IX,8.	Phenylethylbarbituric acid (phenobarbitone) p-Aminobenzenesulphonamide (sulphanilamide) 2-(p-Aminobenzenesulphonamido) pyridine (sulphapyridine) Sulphaguanidine 2-Phenylquinoline·4-carboxylic acid (atophan) 2: 2-bis(p-Chlorophenyl)·1: 1: 1-trichloroethane (D.D.T.)		1003
1X,9.	p-Aminobenzenesulphonamide (sulphanilamide)		1005
IX,10.	2-(p-Aminobenzenesulphonamido) pyridine (sulphapyridine)		1007
IX,11.	Sulphaguanidine		1009
IX,12.	2-Phenylquinoline·4-carboxylic acid (atophan)		1010
1X,13.	$2: 2-bis(p\cdot Chlorophenyl)\cdot 1: 1: 1-trichloroethane (D.D.T.)$		1011
lX,14.	3-Indoleacetic acid		1012
,			
	CHAPTER X		
	SYNTHETIC POLYMERS		
X,1.	Brief introduction to subject		1014
X,2.	Phenol-formaldehyde resin		1022
X,3.	Depolymerisation of methyl methacrylate resin	, .	1023
X,4.	Phenol-formaldehyde resin		1023
X,5.	Formation of a glyptal resin		1024
X,6.	Phenylethylene (styrene)		1024
X,7.	Polystyrene		1025
X,8.	Ethylenediamine adipic acid polymer		1025
X,9.	Depolymerisation of a hexamethylenediamine adipic acid p	olvmer	
,	(Nylon "66")		1025
	(2.7.0.2 00 /		1080
	CHAPTER XI		
	QUALITATIVE ORGANIC ANALYSIS		
XI,1.	Basis of qualitative organic analysis Determination of physical constants		1026
X1,2.	Determination of physical constants		1028
XI,3.	Qualitative analysis for the elements		1038
X1,4.	The solubilities of organic compounds		1045
X1,5.	The solubility groups		1050
XI,6.	Determination of the solubilities of organic compounds (for	r group	1055
VI 7	Class reactions (reactions for functional groups)		1055
XI,7.	The manufacture of desired in the control groups)		1001
XI,8. XI,9.	tests)	•	1090
,		, ,	
	CHAPTER XII		
	SEMIMICRO TECHNIQUE		
XII,1.	Introduction and general considerations		1101
XII,2.	Some typical operations on the semimicro scale		1102
XII,3.	Introduction and general considerations Some typical operations on the semimicro scale . Semimicro apparatus with interchangeable ground glass jour Small-scale preparations	lts	1109
XII,4.	Small-scale preparations		1110
	APPENDIX		
	LITERATURE OF ORGANIC CHEMISTRY		
A 1			111=
A,1.	Beilstein's "Handbuch".		1115
A,2.	Original sources of chemical information		1127
A,3.	Secondary sources of chemical information. Abstracting jour	rnals .	1127
A,4.	Locating an organic compound		1128
A,5.	Selected reference works on organic chemistry		1128
A,6.	Laboratory accidents and first aid		1130
A,7.	Applications of infrared and ultraviolet spectra to organic ch	emistry	1134
A,8.	Densities and percentage compositions of various solutions		1151
A,9.	Density and vapour pressure of water: 0° to 35° C.		1162
A,10.	Atomic weights		1163
	-		
INDEX			1165

NAME INDEX OF ORGANIC REACTIONS†

					PAGE
•					
Acetoacetic ester condensation	•	•	•	•	475, 476*, 477–481
Arndt-Eistert reaction .	•	•	•	•	. 902, 903, 904* 905, 906
Bart reaction	•	•	•	•	597, 617, 618
Beckmann rearrangement	•	•	•	•	
Benzidine rearrangement .	•	•	•	•	629*, 633
Benzilic acid rearrangement		•	•	•	709*, 715, 716
Benzoin reaction (condensation		•	•	•	
Blanc chloromethylation reaction	on	•	•	•	534, 539, 540 . 247, 249, 250, 812, 816
Bouveault Blanc reduction	•	•	•	•	
Bucherer hydantoin synthesis	•	•	•	•	843*, 844
Bucherer reaction	•	•	•	•	
Cannizzaro reaction	•	•	•	•	706*, 711, 712, 811, 812, 832
Claisen aldol condensation	•	•	•	•	
Claisen condensation .	•	•	•	•	. 477, 861*, 862*, 863-865
Claisen Schmidt reaction .	•	•	•	•	709, 710*, 716–718
Clemmensen reduction .	•	•	•	•	238, 510, 515, 516, 728, 738
Darzens glycidic ester condensa			•	•	906* 907
Diazoamino-aminoazo rearrange	ement	;	•	•	622*, 626, 627
Dieckmann reaction .	•	•	•		856, 857
Diels-Alder reaction .			•	•	941, 942*, 943
Doebner reaction			•	•	
Erlenmeyer azlactone synthesis			•	•	907, 908*, 909, 910
Fischer indole synthesis .					851*, 852
Fischer-Speier esterification			•		. 379*, 380*, 382-383, et seq.
Friedel-Crafts reaction .					. 508, 509*, 512, 513, 515,
					725, 726*, 728, 729-734,
					811, 815
Fries reaction					. 664*, 665*, 676, 677, 727
Gabriel synthesis					559, 560*, 566
Gattermann aldeliyde reaction					689, 690*, 701–703
Gattermann reaction .					593, 609
Gattermann-Koch reaction					689*, 697, 698
Gomberg-Hey reaction .					927, 928*
Grignard reaction					. 237, 240, 247, 248* 249*,
					253, 255-259, 358-359,
					394, 511, 516-517, 752,
					756-757, 765, 781, 811,
					813–815
Guareschi reaction	_		_	_	876*, 877
Haworth reaction				-	726, 728*, 737, 738
Hell-Volhard-Zelinsky reaction			_	-	427*, 429, 430
Hoesch reaction			i		727*, 736, 737
Hofmann reaction	•	•	•	•	413*, 414, 754, 773
Knoevenagel reaction .					. 490, 710, 711*, 719
Knorr pyrrole synthesis .	-	•		-	839*, 840
Kolbe-Schmitt reaction .	-			-	
Leuckart reaction	•	•	•	•	
Mannich reaction	•	•	•	•	. 910, 911*, 912, 1012, 1013
Mccrwein-Ponndorf-Verley redu	letion	•	•	•	882*, 883–836
Michael reaction	COLORI	•	•	•	
Oppenauer oxidation .	•	•	•	•	
- Production .	•	•	•	•	

[†] A number of rearrangements and also the acetoacetic ester condensation are included in the Name Index for the convenience of the reader. Other reactions (including ring enlargement with diazomethane) for which mechanisms are given will be found in the Index. The asterisk indicates the page where the mechanism (in outline) is described.

							PAGE
Pechmann reaction .							853*, 854, 855
Perkin reaction .							706, 707*, 708, 712–713
Pinacol-pinacolone rearra	ngen	nent		•		•	349*, 350, 351
Prileschajew epoxidation	reac	tion			•		893*, 894
Reformatsky reaction					•	•	874*, 875, 876
Reimer-Tiemann reaction	ì	•		•	•	•	
Rosenmund reduction		•				•	691, 699
Sandmeyer reaction		•		•	•	591,	592*, 594, 600-603, 751
Schiemann reaction		•					594*, 595, 609–612, 618
Schmidt reaction or rearr		ment	•	•	•	•	· · , ,
Schotten-Baumann react	on	•					. 582, 584, 780, 784
Skraup reaction .		•		•		•	828*, 829, 830, 991, 992
Sommelet reaction .	•						. 692, 693*, 700, 701
Stephen reaction .		•		•	•		. 318*, 324, 691, 698
Stobbe condensation	•				•		. 919, 920*, 922, 923
Ullmann reaction .	•		•	•	•		524, 527
Willgerodt reaction.					•	•	923, 924*, 925
Williamson synthesis	•						. 309, 665, 670, 671
Wohl-Ziegler reaction							926, 927
Wolff rearrangement							. 903, 904*, 905, 906
Wolff-Kishner reduction						•	510, 511*, 516
Wurtz reaction							236, 237
Wurtz-Fittig reaction						•	. 508*, 511, 512