

INDEX

Page numbers in bold-faced type refer to experimental procedures. Numbers followed by an asterisk * refer particularly to qualitative organic analysis. Numbers followed by a dagger † refer to apparatus with ground glass joints. Numbers followed by a double dagger ‡ refer to reaction mechanisms.

- Abbe refractometer, 1033
 Absorption bands, 1134, 1135, 1136
 intensity of, 1135, 1138
 Abstracting journals, 1126, 1127
 Accidents, laboratory, 1130
 Acetal, 320, 327
 Acetaldehyde, 319, 324
 Acetals, 320, 1061*
 reactions and characterisation of, 327*, 1061*
 table of, 329*
p-Acetamidobenzenesulphonamide, 1005, 1006
p-Acetamidobenzenesulphonyl chloride, 1005, 1006
 Acetamide, 401, 402, 403
 Acetanilide, 576, 577, 919
 Acetates, 456*, 652*, 682*, 1073*
 Acetic anhydride, 371, 372
 Acetoacetic ester condensation, 475, 476‡, 477-481
 α -Acetoaminocinnamic acid, 908, 909
 α -Acetonaphthalene, 767
 β -Acetonaphthalene, 726, 731, 767, 924
 Acetone, purification of, 171
 cyanohydrin, 348
 semicarbazone, 344
 test reagent, 884*
 Acetonitrile, 407
 Acetophenone, 725, 729, 730
 phenylhydrazone, 852
p-Acetotoluidide, 593, 605
 Acetoxime, 343
 Acetylacetone, 861‡, 862‡, 863
 Acetylation, reductive, 749
 Thiele, 749
 Acetyl chloride, 367
 2-Acetylcyclohexanone, 862, 864
 Acetylene, 245, 897
 reactions of, 245, 246
 Acetylenic compounds, synthesis of, 467-469, 895-902
 Acetylglycine, 909
 Acetylmethylurea, 968, 969
 Acetylsalicylic acid, 996
 Acetyl-*o*-toluidide, 578
 2-Acetylthiophene, 837
 Acid anhydrides of aliphatic carboxylic acids, 371
 Acid anhydrides—*cont.*
 reactions and characterisation of, 376*, 1062*
 table of, 378*
 Acid anhydrides of aromatic carboxylic acids, 794
 table of, 796*
 Acid chlorides of aliphatic acids, 367
 reactions and characterisation of, 369*, 1059*
 table of, 371*
 Acid chlorides of aromatic acids, 791
 reactions of, 795*, 1059*
 table of, 796*
 Acid hydrazides, 395*
 Acrolein, 446
 Acrylonitrile, 916, 1022
 reactions with, 914-917
 Acrylic acid derivatives, 1016, 1023
 Acylation of ketones, with acid anhydrides, 861‡
 with esters, 861, 862‡
 Acylloins, 1067*, 1080‡, 1081‡
 Adams platinum oxide catalyst, 470, 471, 1001
 Adapters, 52
 expansion, 212‡
 multiple, 51, 214‡
 receiver, 219‡
 reduction, 213‡
 "swan neck," 215‡
 Addition of solids to stirred liquids, 68
 Addition tubes, 51
 two-way, 51
 three-way, 51
 Adipic acid, 489, 494
 Adipic dialdehyde, 892
 Adsorbents for chromatographic adsorption, 159, 160
 Adsorption column, formation of, 160, 161
 Air bath, 60, 221, 222
dl-Alanine, 427, 432
 Alcoholic potassium hydroxide solution, 290*, 393*, 1064*
 Alcoholic silver nitrate solution, 290*, 1059*
 Alcohols, primary, 247
 secondary, 247
 tertiary, 248

- Alcohols, general reactions of, 1065* ;
see also Aliphatic alcohols and
 Aromatic alcohols
- Aldehydes, *see* Aliphatic aldehydes and
 Aromatic aldehydes
- Aldehydes and ketones, differentiation
 between, 1061*
 reactions of, 1060*, 1061*
- Aldose, 1069*
- Aliphatic acid amides, 401
 reactions and characterisation of,
 404*, 1074*, 1076*
 table of, 406*
- Aliphatic alcohols, 247, 248
 differentiation between primary,
 secondary and tertiary (Lucas test),
 261*
 reactions and characterisation of,
 260*, 1065*
 table of and derivatives of, 267*
- Aliphatic aldehydes, 318
 reactions and characterisation of,
 330*, 1060*
 table of and derivatives of, 334*
- Aliphatic amines, 413
 reactions and characterisation of,
 420*, 1072*, 1073*
 table of and derivatives of, 424*,
 661*
- Aliphatic carboxylic acids, 354
 reactions and characterisation of,
 360*, 1071*
 substituted, 427
 table of and derivatives of, 365*
- Aliphatic cyanides (nitriles), 407
 reactions and characterisation of,
 410*, 1075*, 1077*
 table of, 412*
- Aliphatic esters, 379
 hydrolysis of, 390*, 1063*, 1065*
 reactions and characterisation of,
 390*, 1062*, 1063*, 1065*
 table of, 396*
- Aliphatic ethers, 309
 cleavage of, 316*, 1067*, 1068*
 reactions and characterisation of,
 315*, 1067*, 1068*
 table of, 317*
- Aliphatic hydrocarbons, di- and poly-
 halogenated 292
 table of, 295*, 296*
- Aliphatic ketones, 335
 reactions and characterisation of,
 341*, 1061
 table of and derivatives of, 346*
- Aliphatic nitro compounds, 302
 reactions and characterisation of,
 531*, 1074*, 1076*
 table of, 532
- Aliphatic sulphonic acids, 557
- Aliphatic sulphur compounds, 496
- Alizarin, 981
- Alkyd resins, 1018
- Alkyl borates, 302
- Alkyl bromides, 270
- Alkyl chlorides, 270
- Alkyl fluorides, 272
- Alkyl halides, 270
 reactions and characterisation of,
 289*, 1059*
 table of and derivatives of, 293*
- Alkyl iodides, 271
- Alkyl mercuric halides, 291*
- Alkyl nitrites, 302
- Alkyl phosphates, 302
- Alkyl sulphates, 302
- Alkyl sulphites, 302
- Alkyl thiocyanates, 302
- S-Alkyl-*iso*-thiuronium picrates, 291*
- Allyl alcohol, 459
- Allyl bromide, 280
- Allyl chloride, 276
- Allyl cyanide, 464
- Allyl iodide, 285
- Aluminium alkoxides, reductions
 with, 882-886
- Aluminium amalgam, 198, 514
- Aluminium *tert.*-butoxide, 887
- Aluminium *iso*-propoxide, 883
 reductions with, 882†, 883-886
- Aluminon, 959, 960
- Amalgamated zinc, 198 ; *see also* under
 Clemmensen reduction
- Amides, 361* 1074*, 1075* ; *see also*
 Aliphatic acid amides and Aro-
 matic acid amides
- Amines, reactions of, 1072*, 1073* : *see*
also Aliphatic amines and Aromatic
 amines
- Amines, separation by Hinsberg's
 method, 650*
- Amino acids, 427
 benzoates of, 426*
 2 : 4-dichlorophenoxyacetates of,
 438*
 3 : 5-dinitrobenzoates of, 436*
 α -naphthylhydantoic acids of, 437*
 phthalyl derivatives of, 438*
p-toluenesulphonates of, 437*
 reactions and characterisation of,
 435*
 table of and derivatives of, 439*
- Aminoacetic acid, 427, 432
- p*-Aminoazobenzene, 622, 627
- p*-Aminobenzenesulphonamide, 1005,
 1006
- 2-(*p*-Aminobenzenesulphonamido)-
 pyridine, 1007, 1008
- p*-Aminobenzenesulphonylguanidine,
 1009
- p*-Aminobenzoic acid, 1000
- o*-Aminobenzyl alcohol, 878, 880

- α -Amino-*n* caproic acid, 427, 432
 4-Amino-3 : 5-diodobenzoic acid, 973
p-Aminodimethylaniline, 621, 624, 625
 α -Amino- β -naphthol hydrochloride, 620, 623
 2-Amino-5-methylthiazole, 841
 2-Amino-*n*-octane, 413, 419
p-Aminophenol, 628, 630
p-Aminophenylacetic acid, 764
 2-Aminopyridine, 993, 1007
 2-Aminothiazole, 840
 Ammonia, 184; *see also* Liquid ammonia
 Ammoniacal cuprous chloride solution, 245*
 Ammoniacal silver nitrate solution, 245*, 320*, 1061*
 Ammonolysis, 401
 Ampoules, glass, 205
n-Amylamine, 413, 417
n-Amyl acetate, 383
n-Amyl alcohol, 247, 249
n-Amylbenzene, 511, 517
n-Amyl borate, 305
n-Amyl bromide, 279
iso-Amyl bromide, 279
n-Amyl chloride, 273
iso-Amyl chloride, 273
tert.-Amyl chloride, 275
n-Amyl cyanide, 407, 408
 Amylene, 239
n-Amyl fluoride, 272, 289
n-Amyl iodide, 288
n-Amyl nitrite, 302, 306
 2-*n*-Amylpyridine, 845
 3-*n*-Amylpyridine, 845
 4-*n*-Amylpyridine, 846
n-Amyl sulphite, 304
 Analyser, 503
 Anhydrides, tests for, 1062*
 hydroxamic acid test for, 1063*
 of dibasic acids, 371; *see also* Acid anhydrides
 Anilic acids, 376*
 Anilides, 290*, 361*, 362*
 Aniline, 559, 563, 564, 1162
 hydrochloride, 627
 Anion exchange resin, 915, 916
 as catalyst for cyanoethylation, 916
 Anisaldehyde, 690, 703
 Anisole, 665, 669
 Anthracene, 942, 943
 adduct with maleic anhydride, 942, 943
 purification of, 944
 Anthranilic acid, 754, 773, 880, 980
 Anthraquinone, 728, 740
 Anthraquinone- β -sulphonic acid, sodium salt, 981
 Anthrone, 729, 741
 Antimony, detection of, 1043*
 Anti-oxidants, 694
 Antipyrin, 998
 Apparatus for distillation and refluxing (typical assemblies), 88-89, 226†-228†
 Apparatus for hydrogenation at atmospheric pressure, 470-473
 for high pressure hydrogenation, 868-870
 for preparation of aliphatic ethers, 312
 for preparation of bromides, 281
 for preparation of iodides, 286
 for preparation of ketones (vapour catalyst method), 328
 for reaction in an inert atmosphere, 69
 for reactions in liquid ammonia, 897-898
 for reactions under pressure, 866-870
 for stirring, refluxing and addition of a liquid, 67, 1108, 1110
 for stirring, refluxing and addition of a solid, 68
 with interchangeable ground glass joints, 222-225, 226-228, 1109-1110
 Arndt-Eistert reaction, 902, 903, 904†, 905, 906
 Aromatic acid amides, 797
 hydrolysis of, 799*, 801*, 1076*
 reactions and characterisation of primary, 799*, 1074*, 1075*, 1076*
 table of primary, 800*
 reactions and characterisation of substituted, 801*, 1075*, 1076*
 table of substituted, 802*
 Aromatic acid chlorides, 791
 reactions and characterisation of, 795*, 1060*
 table of, 796*
 Aromatic alcohols, 811
 reactions and characterisation of, 817*, 1066*
 table of derivatives of, 818*
 Aromatic aldehydes, 689
 condensation reactions of, 706
 reactions and characterisation of, 720*, 1060*, 1061*
 table of and derivatives of, 723*
 Aromatic amines, 559
 acetylation of, 576
 benzoylation of, 582
 sulphonation of, 585
 reactions and characterisation of, 648*, 1072*, 1073*
 separation of, 650*
 table of and derivatives of, 656*, 659*, 661*

- Aromatic carboxylic acids, 751
 reactions and characterisation of, 777*, 1071*
 table of and derivatives of, 778*
 Aromatic diamines, 640
 Aromatic esters, 780
 hydrolysis of, 786*, 1063*, 1065*
 table of, 787*
 Aromatic ethers, 665
 cleavage of, 671*, 1068*
 reactions and characterisation of, 671*, 1067*, 1068*
 table of and derivatives of, 673*
 Aromatic hydrocarbons, 508, 1058, 1147
 characterisation of, 518*
 halogenation of, 533
 oxidation of side chains in, 520*
 nitration of, 520*, 523
 nitro derivatives of, 520*
 sulphonation of, 548
 table of and derivatives of, 521*
 Aromatic ketones, 725
 reactions and characterisation of, 741*, 1060*, 1061*
 table of and derivatives of, 743*
 Aromatic nitriles (cyanides), 803
 reactions and characterisation of, 805*, 1075*, 1077*
 table of, 806*
 Aromatic nitro compounds, 523
 reactions and characterisation of, 528*, 1074*, 1076*
 reduction to hydroxylamines, 528*, 1076*
 reduction with tin and hydrochloric acid, 529*, 1076*
 table of, 531*
 Aromatic peroxides and per-acids, 807
 Aromatic substitution, 524, 525
 Aromatic sulphonamides, 553
 reactions and characterisation of, 558*, 1076*, 1077*
 table of, 556*, 558*
 Aromatic sulphonic acids, 554
 compounds derived from, 820
 reactions and characterisation of, 552*, 1077*
 table of and derivatives of, 556*
 Aroylbenzoic acids, 519*
 Arsenic, detection of, 1043*
 Aryloxyacetic acids, 682*
 Asbestos-sodium silicate stoppers, 494
 Aspirin, 996
 Atomic weights, table of, 1163
 Atophan, 1010
 Aürin tricarboxylic acid, ammonium salt of, 959, 960
 Autoclaves, 866-870
 Auto-oxidation, 694
 Auxochromes, 1144, 1145, 1146
 Azelaic hemialdehyde, 892
 Azines, 341, 722*
 Azeotropic mixtures, 9
 breaking up of, 12
 of maximum b.p., 11
 Azeotropic mixtures of minimum b.p., 10
 Azlactone of α -acetylaminocinnamic acid, 908, 909
 Azlactone of α -benzoylaminocinnamic acid, 908, 910
 Azlactones, 907, 908, 909
 Azobenzene, 628, 631, 632
 cis, 944, 945
 ultraviolet absorption maximum, 1148
 Azo compounds, 1075*
 table of, 1085*
 Azo dyestuffs, 620, 648, 979
 reduction of, 623, 624
 Azoxybenzene, 629, 631
 Azoxy compounds, 1074*
 table of, 1085*
 Barfoed's reagent, 454*
 Barbituric acid, 1001, 1002
 Bart reaction, 597, 617, 618
 Baths; *see* Heating baths and Cooling baths
 Beakers, 46
 Beckmann rearrangement, 729, 741
 Bending of glass tubing, 57
 Beilstein's "Handbuch," 1115-1126
 Beilstein's test, 289*
 Benedict's solution, 454*
 Benzalacetone, 709, 716
 Benzalacetophenone, 709, 718
 Benzal chloride, 534, 539
 Benzaldehyde, 689, 693
 auto-oxidation of, 694
 purification of, 694
 Benzal derivatives, 345*, 653
 α -Benzaldoxime, 711, 719
 β -Benzaldoxime, 711, 719
 Benzamide, 797
 Benzanilide, 582, 583
 hydrolysis of, 583*
 Benzene, removal of thiophene in, 172, 173
 Benzenesulphinic acid, 593, 607
 Benzenesulphonates, 422*, 650*, 652*
 1073*
 Benzenesulphonyl chloride, 820, 822, 1073*
 Benzhydrol, 811, 813, 885
 Benzidine, 629, 633
 Benzidine rearrangement, 629‡, 633
 Benzil, 709, 714, 715
 monohydrazone, 856
 Benzilic acid, 709, 715, 716
 Benzilic acid rearrangement, 709‡, 715
 716

- α -Benzilmonoxime, 720
 β -Benzilmonoxime, 720
 Benzimidazole, 853
 Benzoates, 263*, 447*, 456*, 682*, 1073*
 Benzocaine, 1000
 Benzoic acid, 706, 711, 752, 755, 756
 Benzoic anhydride, 794
 Benzoin, 708, 714
 Benzoin condensation, 708†, 714
 α -Benzoin oxime, 958
 Benzointrile, 609, 803
 hydrolysis of, 609*
 Benzophenone, 726, 733, 734
 Benzophenone oxime, 729, 741
 Beckmann rearrangement of, 729, 741
p-Benzoquinone, 745
 Benzoylacetone, 865
o-Benzoylbenzoic acid, 728, 739
 Benzoyl chloride, 791, 792
 Benzoyl glycine, 584
 Benzoyl peroxide, 807
 determination of, 809
 Benzoyl piperidine, 489, 492
 β -Benzoylpropionic acid, 728, 737
 β -Benzoylpropionitrile, 911, 912
 Benzoyl-*p*-toluidide, 582, 583
 Benzyl acetate, 780, 783
 Benzylacetophenone, 726, 734
 Benzyl alcohol, 706, 711, 811, 812, 884
N-Benzylamides, 394*
 table of, 395*
 Benzylamine, 394, 560, 569
 Benzylaniline, 572
 Benzyl chloride, 517, 534, 538, 539
 Benzyl cyanide, 752, 761
 hydrolysis to acid, 761
 hydrolysis to phenylacetamide, 762
 Benzylidene derivatives, 345*, 653*
 Benzyl magnesium chloride, 517
 Benzyl phthalimide, 560, 569
 Benzyl-sodium, 933†
S-Benzyl-*iso*-thiuronium chloride, 965,
 966
 salts, 363*, 554*
 Bisulphite compounds, 331*, 332*, 341,
 342, 1079*
 Biuret reaction, 442*
 Blanc chloromethylation reaction, 534,
 539, 540
 Boiling chips (stones), 4
 Boiling point, 2
 approximate, under reduced pres-
 sure, 106
 calculated at selected pressures, 2
 maximum, 10
 minimum, 9
 of mixtures, 8-12
 Boiling point, experimental determina-
 tion of, 83-86, 230, 1027
 by Emich's method, 86
 by Siwoloboff's method, 85
 Boiling-point - composition curves, 7-12
 Bond refractions, 1036
 Boring of corks, 55, 56
 Boron trifluoride, 183, 862, 864, 865
 Bouveault-Blanc reduction, 247, 249,
 250, 812, 832
 Bromination of aromatic hydrocarbons,
 533†
 Bromine, detection of, 1041*, 1042*,
 1043*, 1045*
 precautions in handling of, 278
 purification of, 189
 3-Bromo-4-acetaminotoluene, 593, 605
p-Bromoacetanilide, 577, 580
p-Bromoacetophenone, 726, 732
m-Bromo-*p*-acetotoluidide, 593, 605
 3-Bromo-4-aminotoluene, 593, 605
 hydrochloride, 605
p-Bromoanilides, 361*
p-Bromoaniline, 577, 580
o-Bromoanisole, 404
p-Bromobenzaldehyde, 689, 694, 696
 diacetate, 696
 Bromobenzene, 533, 535, 536
 α -Bromo-*n*-caproic acid, 427, 430
 Bromocresol purple, 990
 Bromoform, 297, 299
 α -Bromonaphthalene, 533, 537, 765
 β -Bromonaphthalene, 604, 767
m-Bromonitrobenzene, 533, 537
p-Bromonitrobenzene, 523, 527
 2-Bromopentane, 279
 3-Bromopentane, 279
p-Bromophenacyl bromide, 960, 961
p-Bromophenacyl esters, 362*
o-Bromophenol, 666, 679
p-Bromophenol, 666, 679
 Bromophenol blue, 989, 990
 4-Bromodiphenyl, 927, 928
p-Bromophenylacetic acid, 924, 925
p-Bromophenyl *iso*-thiocyanate, 644
p-Bromophenylurea, 645
 α -Bromopropionic acid, 427, 430
 2-Bromopyridine, 992, 993
N-Bromosuccinimide, 926, 927
o-Bromotoluene, 593, 603, 606
m-Bromotoluene, 593, 605
p-Bromotoluene, 593, 602
 Bromural, 999
 α -Bromo-*iso*-valerylurea, 999
 Brucins, 506
 recovery of, 507
 Bucherer hydantoin synthesis, 843†, 844
 Bucherer reaction, 561†, 568, 569
 Bumping of liquids, 3, 4
 devices for preventing, 4, 5
 Burns, 1131
 Butadiene, 1022
 polymers, 1021
 1 : 4-Butanediol, 250
o-*n*-Butoxynitrobenzene, 665, 670

- n*-Butyl acetate, 380, 382
 hydrolysis of, 390*
sec-Butyl acetate, 382
tert-Butyl acetate, 380, 383, 384
n-Butylacetylene, 896, 899
n-Butylbenzene, 508, 510, 511, 516, 934, 935
tert-Butylbenzene, 509, 513
n-Butyl benzoate, 782
n-Butyl borate, 302, 304
n-Butyl bromide, 270, 277, 280, 281
iso-Butyl bromide, 282
sec-Butyl bromide, 270, 278
n-Butyl chloride, 270, 273
iso-Butyl chloride, 270, 274
sec-Butyl chloride, 270, 273
tert-Butyl chloride, 270, 276
n-Butyl cyanide, 407, 408
n-Butyl formate, 380, 384
n-Butyl glyoxylate, 951
n-Butyl iodide, 271, 284, 285
iso-Butyl iodide, 272, 285
sec-Butyl iodide, 285, 288
n-Butyl-lithium, 928, 929, 932
n-Butyl magnesium bromide, 247, 248, 253, 256, 257, 359
sec-Butyl magnesium bromide, 354, 358
n-Butylmalonic acid, 488
n-Butyl mercaptan, 497
n-Butyl nitrite, 306
n-Butyl oleate, 388
n-Butyl phosphate, 302, 304
tert-Butyl propionate, 384
n-Butyl sulphite, 302, 303
n-Butyl thiocyanate, 306
n-Butyl-*p*-toluenesulphonate, 821, 825
n-Butyraldehyde, 318, 320, 322
iso-Butyric acid, 354, 355, 356
 Butyrolactone, 859
 Butyrophenone, 726, 732
n-Butyryl chloride, 367, 368
- Calcium chloride, as desiccant, 42, 140 tube, 52
 Calcium sulphate, as desiccant, 41, 141
 Calibration curve of thermometer, 229
 Calibration of thermometers, 72-75
 reference substances for, by boiling point method, 74
 reference substances for, by melting point method, 73
 Camphor method, for molecular weights, 1037
 Cannizzaro reaction, 706†, 711, 712, 811, 812, 832
 crossed, 811, 812
n-Caproamide, 401, 404
n-Caproic acid, 484, 486
n-Caproic anhydride, 371, 374
n-Capronitrile, 407, 408
- 2-Carboethoxycyclopentanone, 856, 857
 β -Carboethoxy- γ -diphenylacetic acid, 919, 920
 Capillary, for distillation, 103, 104
 melting point tubes, 75, 76
 Carbanilide; *see sym*-Diphenylurea
 Carbitol, 171, 444
 butyl, 171, 444
 methyl, 171, 444
 derivatives of, 265*
 Carbohydrates, 449
 reactions and characterisation of, 453*, 455*
 table of and derivatives of, 457*
 Carbonation of Grignard reagent, 354, 358, 359, 752, 756
 Carbonation of lithium derivatives, 929, 930, 933
 Carbon and hydrogen, detection of, 1038*
 Carbon dioxide, 184, 358, 359
 solid; *see* Dry Ice
 Carbon disulphide, 767
 purification of, 175
 Carbon monoxide, 185, 1003, 1004
 Carbon, decolourising, 127, 128
 Carbon tetrachloride, 733, 815
 drying of, 734
 purification of, 176
 Carbonyl chloride, 185
 Carborundum chips, 4
 Carboxylic acids, equivalent weights of, 1071*
 reactions of, 360*, 1071*; *see also* Aliphatic carboxylic acids and Aromatic carboxylic acids
o-Carboxyphenylacetoneitrile, 753, 772
 Carbylamine test, 420*, 648*
 Catalytic reduction, with Adams' platinum oxide catalyst, 470
 with copper-chromium oxide, 873
 with Raney nickel, 566
 Cation exchange resin, for esterification, 381, 387, 388
 Cellosolve, 170, 265, 444
 butyl, 170, 444
 methyl, 170, 444
 Cellulose, 458*
 Chalkone, 709, 718
 Charcoal, decolourising, 127, 128
 Chloral hydrate, 1011
 reactions of, 298*
 Chloramine-T, 820, 824
 Chlorine, 183
 detection of, 1041*, 1042*, 1043*, 1045*
 water, equivalent reagent, 1042*
p-Chloroacetophenone, 733
o-Chloroaniline, 565
p-Chloroaniline, 566
 Chlorobenzene, 533, 535, 592, 601

- m*-Chlorobenzoic acid, 929, 932
o-Chlorobenzoic acid, 751, 758, 759
p-Chlorobenzoic acid, 751, 760
p-Chlorobenzoic anhydride, 794
m-Chlorobromobenzene, 604
o-Chlorobromobenzene, 593, 603
 2-Chlorobutadiene, 1021
 polymers of, 1021
 2-Chlorodiphenyl, 927, 928
 Chloroform, 297
 purification of, 176
 1-Chloro-2-hexanone, 936, 937
 Chloromethylation, 534, 539, 540
 α -Chloromethylnaphthalene, 540, 752
m-Chloronitrobenzene, 592, 601
 2-Chloropentane, 274
 3-Chloropentane, 274
 2 : 2-*bis* (*p*-chlorophenyl)-1 : 1 : 1-tri-
 chlorethane, 1011, 1012
 Chlorosulphonic acid, 543, 822, 1005, 1006
 purification of, 1006
 Chlorosulphonylation, 543*
o-Chlorotoluene, 592, 601
p-Chlorotoluene, 591, 592, 600
 Cholestenone, 887, 888, 944
 Chromatogram, 157
 liquid, 163
 Chromatographic adsorption, 156-163
 adsorbents for, 159, 160
 apparatus for, 158-163
 applications of, 605, 944-946
 eluent for, 161, 162
 formation of adsorption column for,
 160, 945
 selection of solvents for, 161
 uses of, 161
 "Chromic acid" cleaning mixture, 53
 Chromophores, 1144-1146
 three conjugated, 1146
 two conjugated, 1146
 typical single, 1145
 Chrysoidine, 620, 623
 Cinnamic acid, 707, 712, 1113
 reduction to dihydrocinnamic acid,
 474, 768, 769
 cis and *trans* isomers, ultraviolet
 absorption maxima, 1148
 Claisen aldol condensation, 710†, 718
 Claisen condensation, 477, 861†, 862†,
 863-865
 Claisen flask, 47, 103
 with fractionating side arm, 47, 116,
 117
 Claisen-Schmidt reaction, 709, 710†,
 716-718
 Class reactions, 1057-1081
 summary of, 1079, 1080
 Cleaning of glassware, 53, 54
 Clemmensen reduction, 238, 510, 515,
 516, 728, 738
 Cold finger, 92
 Condenser, air, 47
 Allihn, 47
 coil, 48, 217*
 Dewar, 49
 double surface, 48, 216*
 Friedrich, 48, 216*
 Hahn, 885
 Condenser, Liebig, 47, 216*
 West, 47, 215*, 216*
 Conglomerate, 25
 Congruent melting point, 29
 Congo red, 979
 Conjugate solutions, 17-20
 Consolute temperature, 17, 18, 19, 20
 Continuous extraction, of liquids by
 solvents, 152-154
 of solids by solvents, 153, 154, 222†,
 223†
 of steam distillates by solvents, 224†,
 225†
 Continuous steam distillation, 147, 148
 Cooling baths, 61
 Cooling curve method, 26
 Copper bronze, activated, 193
 Copper-chromium oxide catalyst,
 for aldehyde synthesis, 318, 321
 for hydrogenation, 872, 873
 hydrogenolysis with, 872†
 Copper phthalocyanine, 983
 Copper powder, 192
 Copper sulphate, as desiccant, 40, 41
 Cork stoppers, 55
 boring of, 56
 Cotton wool (absorbent), 143
 Coumarin, 707, 713
p-Cresol, 595, 614, 664, 667
o-Cresol red, 989, 990
 Critical solution temperature, 17-20
 application to determination of water
 in alcohols, 20, 21
 influence of added substances upon, 20
 Crotonaldehyde, 460
 Crotonic acid, 463, 464
 Crotyl alcohol, 882, 883
 Crystal violet, 982
 Crystallisation, *see* Recrystallisation
 Cumene, 509, 512
 Cupferron, 957
 Cuprous bromide, 191, 602, 603, 604
 solution of, 602
 Cuprous chloride, 190, 600, 601
 Cuprous cyanide, 191, 192, 607, 608, 609
 solution of, 607
 Cuts, 1132
 Cutting of glass tubing, 57
 Cyanoacetamide, 428, 434
 Cyanoacetic acid, 428, 433
 Cyanoethylation, 914, 915†, 916, 917
 Cyanohydrins, 347, 348
 β -Cyanopyridine, 850
 Cyclobutanecarboxylic acid, 857, 858

- Cyclobutane-1 : 1-dicarboxylic acid, 857, 858
 1 : 2-Cyclohexanedione, 974, 975
 1 : 4-Cyclohexanedione-dioxime, 974, 975
 Cycloheptanone, 946, 947
cis-1 : 2-Cyclohexanediol, 894, 895
trans-1 : 2-Cyclohexanediol, 893, 896
 Cyclohexanone, 335, 337
 oxime, 343
 phenylhydrazone, 342, 343
 purification via bisulphite compound, 342
 Cyclohexene, 243
 ozonolysis of, 892
 Cyclohexyl acetate, 380, 385
 Cyclohexyl bromide, 277
 Cyclohexyl carbinol, 247, 252
 Cyclohexyl chloride, 270, 275
 Cyclohexyl ethyl ether, 310, 314
 Cyclohexyl formate, 385
 Cyclohexyl iodide, 284, 288
 Cyclohexyl magnesium chloride, 247, 252
 α -Cyclohexylphenylacetone nitrile, 897, 902
 Cyclopentanol, 255
 Cyclopentanone, 336, 340, 489, 493
 Cyclopentyl bromide, 277
 Cyclopentyl chloride, 276
 Cyclopentyl iodide, 285
- Dalton's law of partial pressures, 12
 Darzens glycidic ester condensation, 906†, 907
 Decolourising carbon, 127, 128
 animal charcoal, 128
 Darco, Norit, Nuchar, 128
 D.D.T., 1011, 1012
 Dean and Stark apparatus, modified, 429
n-Decane, 237, 940
 Decane-1 : 10-dicarboxylic acid, 904, 905
 Dehydrogenation, 942, 943, 949
 agents, 948
 catalysts, 948
 of hydroaromatic compounds, 947-949
 of tetralin, 949
 of α -tetralone, 947
 Deliquescence, 43
 Densities and percentage compositions of various solutions, 1151-1161
 Density, determination of a liquid, 1029
 Derivatives, preparation of, 1027, 1081
 requirements of a satisfactory, 1081
 Dephlegmator, 92
 Desiccators, 137
 "vacuum," 137, 138, 139
 Detergents, 445
- Diacetone alcohol, 351, 352
 Diacetyl-*o*-toluidine, 576, 578
 Diallyl, 466
 Dialkylanilines, pure, from commercial products, 572
 Di-*n*-amyl ether, 313
 Di-*iso*-amyl ether, 313
 Di-*n*-amyl ketone, 340
 Diazoaminobenzene, 622, 627
 Diazoamino-aminoazo rearrangement, 622†, 626, 627
 Diazo ketone, 903, 904, 905
 Diazomethane, 946, 967, 968, 969-972
 determination of, 972
 methylation with, 973
 precautions in the use of, 968, 969
 ring enlargement with, 946†, 947
 Diazonium fluoborates, 594, 610, 611, 612, 613
 Diazonium salts, 590 *et seq.*
 caution in preparation of, 597
 reduction of, 635
 solid, 597, 598
 Diazotisation, 590, 598, 599, 600, 601, 602, 603, 604, 617, 759, 978
 Dibenzalacetone, 709, 717
 Dibenzyl ketone, 735
 Dibenzoyl peroxide, 807
m-Dibromobenzene, 604
p-Dibromobenzene, 536
 1 : 4-Dibromobutane, 271, 280, 283
 $\alpha\beta$ -Dibromoethylbenzene, 896, 900
 Dibromofluorescein, 985, 986
 diacetate, 987
 1 : 6-Dibromohexane, 271, 280, 283
 1 : 4-Dibromopentane, 271, 280, 283, 489, 492
 Di-*n*-butyl acetal, 320, 327
 Di-*n*-butylamine, 414, 419
 β -Di-*n*-butylaminopropionitrile, 915, 917
 Di-*n*-butylaniline, 572
 Di-*n*-butyl cadmium, 935, 936
 Di-*n*-butyl carbinol, 248, 256
 Di-*n*-butyl cyanamide, 414, 419
 Di-*n*-butyl disulphide, 496, 498
 Di-*n*-butyl ether, 309, 311
 purification of, 165
 as a solvent in the Grignard reaction, 254
 Di-*n*-butyl *d*-tartrate, 951, 952
 Dichloramine-T, 820, 823
 Dichloroacetic acid, 427, 431
 1 : 4-Dichlorobutane, 270, 275
 2 : 4-Dichlorophenoxyacetates, 438*
 1 : 5-Dicyanopentane, 493
 Dicyclohexyl, 21, 470
 Dieckmann reaction, 856, 857
 Diels-Alder reaction, 941, 942†, 943
 Diene synthesis, 941, 942, 943
 β -Diethylaminopropionitrile, 915, 917

- Diethylaniline, 562, 573
 purification of, 562, 573
 Diethylbarbituric acid, 1002, 1003
 Diethyl carbonate, 250, 259, 785
 purification of, 259, 785
 Diethyl disulphide, 496, 498
 Diethyleneglycol, 516, 1064, 1065
 Diethyleneglycol, monoalkyl ethers of,
 171, 444
 dialkyl ethers of, 171, 444
 Diethyl ether, 309, 310
 precautions in the use of, 165
 preparation of absolute, 163-165
 removal of peroxides in, 163, 164
 Diethyl fumarate, 913
N,N-Diethylhydrazine, 880
 Diethyl ketone, 335, 338
 Diethyl maleate, 381, 388
 Diethyl malonate, 483, 484, 1001
 alkylation of, 483†
 applications of, 483, 484
 Diethylnitrosamine, 426
 Diethyl oxalate, 381, 386
 Diethyl sebacate, 381, 387
 Diethyl succinate, 386
 Diethyl sulphate, 303
 4 : 4'-Difluorodiphenyl, 612
 Di-*n*-hexyl ether, 313
 Di-*n*-hexyl sulphide, 496, 498
 Dihydrocinamic acid; *see* Hydrocin-
 amic acid
 2 : 5-Dihydroxyacetophenone, 664, 677
 2 : 4-Dihydroxybenzaldehyde, 690, 702
 1 : 4-Diiodobutane, 272, 284
 1 : 6-Diiodohexane, 284
 1 : 5-Diiodopentane, 284
 1 : 3-Diketohydrindene, 993, 994
 Dimedone derivatives, 332*, 721*, 963*
 Dimethones, 333*
 $\beta\beta$ -Dimethylacrylic acid, 460
 Dimethylamine hydrochloride, 414, 416
 Dimethylaminomethylindole, 1012, 1013
 β -Dimethylaminopropiophenone hydro-
 chloride, 910, 911
 Dimethylaniline, 562, 572
 pure, from commercial product, 573
 2 : 3-Dimethylanthraquinone, 942, 943
 2 : 3-Dimethyl-1 : 3-butadiene, 467, 942,
 943
 Dimethyl *n*-butyl carbinol, 248, 257
 5 : 5-Dimethyl-1 : 3-cyclohexanedione,
 332, 963
 Dimethyldihydroresorcinol, 332, 963
 2 : 4-Dimethyl-3 : 5-dicarbethoxypyrr-
 role, 839
 3 : 3'-Dimethyldiphenyl, 596, 616
 Dimethyl ethyl carbinol, 260
 Dimethyl ethynyl carbinol, 467, 468
 $\beta\beta$ -Dimethylglutaric acid, 876
 Dimethylglyoxime, 952
 Dimethyl hexadecane-1 : 16-dicarboxy-
 late, 938, 940
 5 : 5-Dimethylhydantoin, 843
 Dimethylnitrosamine, 426
 Dimethyl *n*-propyl carbinol, 248, 258,
 259
 3 : 5-Dimethylpyrazole, 842
 2 : 5-Dimethylpyrrole, 839
 Dimethyl sebacate, 938, 939, 940
as-Dimethylsuccinic acid, 490, 495
 Dimethyl sulphate, 303
 precautions in use of, 669
 purification of, 804
 4 : 5-Dimethyl- Δ^4 -tetrahydrophthalic
 anhydride, 942, 943
 2 : 4-Dimethylthiazole, 841
 2 : 5-Dimethylthiophene, 836
 Di- β -naphthol, 668
 2 : 4-Dinitroaniline, 638
 3 : 5-Dinitroaniline, 918, 919
o-Dinitrobenzene, 595, 612
m-Dinitrobenzene, 523, 526
p-Dinitrobenzene, 595, 613
 3 : 5-Dinitrobenzoates, 262*, 436*, 682*
 3 : 5-Dinitrobenzoic acid, 753, 770
 3 : 5-Dinitrobenzoyl chloride, 262*,
 974
 2 : 2'-Dinitrodiphenyl, 524, 527
 2 : 4-Dinitrophenylacetic acid, 751, 758
 2 : 4-Dinitrophenol, 666, 678
 2 : 4-Dinitrophenyl derivatives, 654*
 Di-*o*-nitrophenyl disulphide, 585, 587
 2 : 4-Dinitrophenylhydrazine, 635, 638,
 1060*
 reagent, 344, 884, 1061*
 2 : 4-Dinitrophenylhydrazones, 332,
 342*, 344*, 722*, 1061*
 2 : 4-Dinitrophenylsulphides, 500*
 2 : 4-Dinitrophenylsulphones, 500*, 501*
 3 : 5-Dinitrothiobenzoates, 501*
 2 : 4-Dinitrotoluene, 523, 527
 Dioxan, 923
 purification of, 177
 Diphenic acid, 596, 617, 755, 768
 Diphenylacetic acid, 754, 773
 $\gamma\gamma$ -Diphenylbutyric acid, 920
 Diphenylcarbazide, 954
 Diphenylcarbazone, 955
 Diphenylcarbinol, 811, 812
sym.-Diphenylhydrazine, 628, 629, 632
 Diphenylene, 629, 634
 Diphenyliodonium iodide, 535, 542
 Diphenylmethane, 509, 513, 514
 Diphenylnitrosamine, 562, 572
 Diphenylthiocarbazine, 955, 956
 Diphenylthiocarbazono, 955, 956
sym.-Diphenylurea, 645, 646
sym.-Diphenylthiourea, 642
 Di-*n*-propylaniline, 572
 Di-*iso*-propyl ether, purification of, 165
 Di-*n*-propyl ketone, 340

- Di-*iso*-propyl ketone, 477, 480
 Di-*n*-propyl sulphide, 496, 497
 2 : 2'-Dipyridyl, 992, 993
 Disaccharides, 451, 453
 Dismutation, 706, 832
 Disproportionation, 706, 832
 Distillation, assemblies of apparatus for, 86-88
 Distillation, flash, 89
 theory, 1
 with superheated steam, 15
 see Fractional distillation
 Distillation heads, 213*, 214*
 Distillation of solids under reduced pressure, 106, 107
 Distillation of volatile solvents from solutions, 86-89, 105
 fire hazards attending, 90
 Distillation under diminished pressure, 103-108
 manometers for, 104, 112-114
 manostats for, 114-116
 preparation of capillaries for, 103
 refinements in technique of, 116-119, 1110
 Distilling flasks, 47
 Distribution coefficient, 44
 law, 44
 Disulphides, 1078*
 dialkyl, 496, 498
 Dithizone, 955
 Di-*p*-tolyl ketone, 930, 931
 Dixon gauze rings, 97
n-Dodecane, 237
n-Dodecyl bromide, 282
n-Dodecyl chloride, 275
n-Dodecyl *p*-toluenesulphonate, 825
 Doebner reaction, 463, 465, 710, 711‡, 719
 Drierite, 41, 141, 142
 Drikold, 39, 61, 185
 Dropper pipette, 1102
 Dry Ice, 39, 61, 185
 Drying agents, 140-143
 common, for organic compounds, 140-143, 144
 comparison of, 42
 for vacuum desiccators, 138
 theory of the action of, 39
 Drying by distillation, 143, 144
 Drying by hydrolysis, 144
 Drying of glassware, 53, 54
 Drying of liquids or of solutions of organic compounds in organic solvents, 139-143
 Drying of recrystallised material, 132
 Drying of solid organic compounds, 136, 137
 Drying oils, 445, 446
 Drying pistol (Abderhalden), 139
 Efflorescence, 43
 Electric furnace, tube, construction of, 338
 Electric heating mantles, 221, 222
 Electric hot plate, 61
 Electrolysis cell, 939
 Electrolytic (anodic) syntheses, 937-941
 Electronic spectra, *see* Ultraviolet and visible spectra.
 Eluents, 161
 Elution, 157, 161, 162
 Enols, 475, 684, 1089*, 1090*, 1147
 table of, 688*
 Eosin, 985, 986
 sodium salt of, 986
 Epoxidation of ethylenic compounds, 893-895
 Erlenmeyer azlactone synthesis, 907, 908‡, 909, 910
 Equilibrium diagrams, 22-26
 construction of, 26-29
 Equivalent weight of an acid, 1071
 Ester-amides, table of, 425*
 Esterification, 379‡-382, 1000, 1001
 Esters, hydroxamic acid test for, 1062*, 1063*
 of inorganic acids, 302, 1078
 of phenols, hydrolysis of, 1065*
 saponification (quantitative), 392*, 1065*
 saponification equivalent of, 392*, 1065*
 Esters, simple, identification of acidic components, 393*, 1063*, 1064*
 identification of alcohol component, 393*, 1063*, 1064*
 Ether still, 165
 Ethers, reactions of, 315*, 671*, 1067*, 1068* ; *see* also under Aliphatic ethers and Aromatic ethers.
p-Ethoxyphenylurea, 646
p-Ethoxypropionitrile, 915, 916
 Ethyl acetate, 383
 purification of, 174
 Ethyl acetoacetate, 475, 476‡, 477
 keto-enol equilibrium of, 475, 1148
 purification of, 478
 reactions of, 478*
 ultraviolet spectrum in various solvents, 1147
 Ethyl alcohol, absolute, 166
 determination of water in, 21
 preparation of absolute from rectified spirit, 166, 167
 preparation of "super-dry." 167-169
 Ethyl *p*-aminobenzoate, 1000, 1001
 Ethylaniline, 570, 571
 Ethylbenzene, 510, 515, 516, 934, 935
 Ethyl benzoate, 782

- p*-Ethylbenzyl chloride, 540
 Ethyl benzyl ketone, 727, 735
 Ethyl bromide, 279
 Ethyl bromoacetate (mono), 429
 Ethyl α -bromopropionate, 430
 Ethyl *n*-butylacetoacetate, 482
 Ethyl *n*-butylmalonate, 483, 485
 Ethyl *S*-*n*-butyl xanthate, 496, 499
 Ethyl *n*-butyrate, 383
 Ethyl isobutyrylisobutyrate, 477, 479
 Ethyl chloroacetate, 907
 Ethyl cinnamate, 710, 718
 Ethyl cyanoacetate, 428, 433
 alkylation of, 484†
 condensation with ketones, 496
 Ethyl α -cyano- $\beta\beta$ -dimethylacrylate, 495
 Ethyl cyclopropanecarboxylate, 390
 Ethyl diethylmalonate, 1002
 Ethyl α -1-epoxycyclohexyl acetate, 907
 Ethyl *S*-ethyl xanthate, 496, 499
 Ethyl formate, 385
 purification of, 257
 Ethyl *n*-hexyl ether, 309, 313
 Ethyl 1-hydroxycyclohexyl acetate, 875
 Ethyl iodide, 287
 Ethyl α -naphthoate, 781, 785
 Ethyl α -naphthylacetate, 905
 Ethyl nicotinate, 849
 Ethyl *p*-nitrobenzoate, 1001
 Ethyl orthoformate, 318, 323
 Ethyl phenylacetate, 780, 783
 Ethyl β -phenylethyl ketone, 727, 736
 Ethyl β -phenyl- β -hydroxypropionate, 874
 Ethyl phenylmalonate, 1003
 Ethylphenylnitrosamine, 570
 Ethyl phenylacetate, 1003, 1004
 Ethyl *n*-propylacetoacetate, 475, 481
 Ethyl propane-1 : 1 : 2 : 3-tetracarboxylate, 912, 913
 Ethyl propane-1 : 1 : 3 : 3-tetracarboxylate, 912, 914
 Ethyl isopropylidene cyanoacetate, 490, 495
 Ethyl *n*-propylmalonate, 486
 Ethyl *n*-propyl ketone, 340
 4-Ethylpyridine, 844
 Ethyl 2-pyridylacetate, 931, 932
 Ethyl salicylate, 783
 Ethyl sulphite, 304
 Ethyl *n*-valerate, 382, 389
 Ethyl vinylacetate, 382, 389
 Ethylenediamine-adipic acid polymer, 1019, 1025
 Ethylene glycol, 285
 Ethylene glycol, monoalkyl ethers of, 170, 444
 dialkyl ethers of, 171, 444
 Ethylene oxide, 247, 253, 444
 Ethylenic hydrocarbons, 239, 1059
 reactions and characterisation of, 241*, 1058*
 table of, 242*
 Ethylenic linkages, determination of number of, 809
 1-Ethynylcyclohexanol, 896, 901
 Eutectic, 29, 21
 Eutectic mixture, 25
 Eutectic point, 25, 29, 31
 Eutectic temperature, 24, 25
 Evaporation of the solvent, 135, 136
 Expansion adapters, 213†
 Extinction, 1135
 Extraction by chemically active solvents, 151
 Extraction of steam distillates by solvents, 225†
 Extraction thimble, 153
 Extraction with solvents, continuous, of liquids, 152, 153, 223†, 224†
 continuous, of solids, 153, 154, 222†, 223†
 technique of, 149–154
 theory of, 44, 45
 Eye accidents, 1132
 Fats, 444
 saponification of, 445
 Fehling's solution, 330*, 454*, 1061*
 Fenske helices (rings), 97, 98
 Fieser's solution, 186
 Filtration of hot solutions, 49, 126
 Filtration with suction, 50, 130, 31
 of corrosive liquids, 135
 of small volumes, 133, 1107
 miscellaneous apparatus for, 133, 134
 with "Buechner stable filter," 134
 with "Mini filter," 134
 Fire hazards, prevention of, 90
 Fires, 1132, 1133
 First aid, 1130–1133
 Fischer indole synthesis, 851†, 852
 Fischer-Speier esterification, 379†, 380†, 382, 383, *et seq.*
 Flasks, 46, 212†, 1101
 Buchner (or filter or suction), 50, 134
 Claisen, 47, 103 213†
 Claisen, with fractionating side arm, 47, 116, 117
 distilling, 47, 213†
 Grignard, 51
 multi-necked, 51, 67, 68, 69 215†
 for distilling solids under reduced pressure, 107
 Widmer, 117
 Fluoboric acid, 611
 Fluorescein, 985, 986
 test paper, 1042*
 Fluorine, detection of, 1043*

- p*-Fluoroanisole, 594, 611
 Fluorobenzene, 594, 609
p-Fluorotoluene, 594, 617
 Fluted filter paper, preparation of, 127
 Formaldehyde, 318
 tests for, 325*
 Formalin, 319
 Formamide, purification of, 179
 Formyl derivatives, 655*
 Fractional distillation, 5, 91, 231
 efficient units for, 97-102
 improved apparatus for, 94-102, 1110
 separation of benzene and toluene by, 231
 simple apparatus for, 93
 still-heads for, 97, 102, 217†
 theory of, 5, 96-98
 Fractional distillation under diminished pressure, 108-110, 119, 1110
 flasks for, 47, 116, 117, 119
 receivers for, 108, 109, 118, 119, 219†
 Fractionating columns, 8, 9
 all-glass Dufton, 91, 96, 217†
 desiderata of, 94-96
 efficiency of, 94
 electrically-heated jackets for, 97, 98, 99, 100
 Hempel, 91, 218†
 hold-up of, 95
 modified Hempel, 92
 notes on operation of precision, 100
 packings for, 91, 92, 96, 97, 118
 Stedman type, 219†
 still-heads for, 102
 thermal insulation for, 93, 95
 Vigreux, 91, 217†
 Widmer, 96, 97, 219†
 Free radicals (aryl), 927, 951
 Freezing, theory of, 21
 Freezing mixtures, 61, 62
 Freezing point, 22
 determination of, 80
 of mixtures, 26
 Friedel-Crafts reaction: alkylation, 508, 509†, 512, 513, 515
 acylation, 725, 726†, 728, 729-734, 811, 815
 Fries reaction, 664†, 665†, 676, 677, 727
 Fructose, 449, 451, 455
 Fuchsin aldehyde reagent, 330*, 1061*
 Fumaric acid, 461, 463
 Functional groups, reactions for, 1057-1081
 Funnels, 49
 Buchner, 51
 dropping, 49
 Hirsch, 51
 hot water, 49
 sintered glass, 50, 133
 Funnels—*cont.*
 "slit sieve," 51, 133
 separatory, 49, 221†
 Furfural, 832, 833
 purification of, 833
 2-Furfuralacetone, 833
 Furfuryl acetate, 388
 Furfuryl alcohol, 832
 Furul, 835
 Furoic acid, 832
 Furoin, 835
 Furylacrylic acid, 834
 Fusible metal alloys, 59
 Fusion with caustic alkali, 552*, 664, 667, 668
 Fusion with soda lime, 777*, 1038*
 Gabriel synthesis, 559, 560†, 569
 Galactose, 1070
 oxidation to mucic acid, 1070*
 Gas absorption traps, 71
 Gattermann aldehyde reaction, 689, 690†, 701-703
 Adams modification of, 690, 701, 702
 Gattermann reaction, 593, 606
 Gattermann-Koch, reaction 689†, 697, 698
 Girard's reagents "T" and "P", 976, 977, 978
 Glass septum, 222†
 Glass tubing, cutting and bending of, 57
 Glass wool, purification of, 142, 166
 Glucose, 449, 451, 455
 α -Glucose penta-acetate, 451
 β -Glucose penta-acetate, 452
 Glutaric acid, 489, 491, 493, 912, 914
 Glutaronitrile, 407, 409
 Glyceride, 391
 Glycerol, anhydrous, 829
 Glycine, 427, 432
 Glycogen, 458
 Glyptal resins, 1018
 formation of, 1023
 Gomberg-Hey reaction, 927, 928†
 Gramine, 1012, 1013
 Grignard reaction, 237, 240, 247, 248†, 249†, 253, 255-259, 358, 359, 394, 511, 516, 517, 752, 756, 757, 765, 781, 811, 813-815
 Grignard reagent, test for, 241*
 Ground glass joints; *see* Interchangeable ground glass joints
 Guanidine, 1009
 Guareschi reaction, 876†, 877
 Haloform reaction, 297
 Halogenated aromatic hydrocarbons, 533
 reactions and characterisation of, 542*
 table of and derivatives of, 545*

- Halogen carriers, 533
 Halogen compounds, reaction with alcoholic silver nitrate, 1059*
 reaction with sodium iodide in acetone, 1059*, 1060*
 Halogens, detection of, 1041*, 1042*, 1043*, 1045*
 Haworth reaction, for synthesis of polynuclear hydrocarbons, 726, 728‡, 737, 738
 Heating baths, 57
 air, 60
 constant temperature, 60
 fusible metal, 59
 oil, 58
 sand, 59
 water, 57, 58
 Heating mantles, electric, 221, 222
 Hell-Volhard-Zelinsky reaction, 427‡, 429, 430
 Height equivalent per theoretical plate (H.E.T.P.), 95
n-Heptaldehyde, 251
n-Heptaldoxime, 348
n-Heptane, 238
 1-Heptene, 240
n-Heptoic acid, 354, 356
n-Heptoic anhydride, 371, 374
n-Heptyl alcohol, 247, 251
n-Heptylamine, 413, 418
n-Heptyl chloride, 275
n-Heptyl iodide, 288
n-Hexacosane, 938, 941
 Hexadecane-1 : 16-dicarboxylic acid, 938, 940
n-Hexadecyl bromide, 283
 Hexadiene-1 : 5, 466
n-Hexaldehyde, 318, 321 (catalyst method), 323, 324
 Hexamethylene dibromide, 271, 280, 283
 Hexamethylene glycol, 251, 873, 879
 Hexamethylenetetramine (hexamine), 319, 326, 692, 700
n-Hexane, 237
 1 : 6-Hexanediol, 251, 873, 879
n-Hexyl alcohol, 247, 253
 dehydrogenation of, 322
 β-*n*-Hexylacrylic acid, 465, 466
n-Hexylbenzene, 510, 516
n-Hexyl bromide, 282
n-Hexyl chloride, 270, 274
n-Hexyl cyanide, 409
n-Hexyl fluoride, 288, 289
n-Hexyl iodide, 288
n-Hexyl magnesium bromide, 237
n-Hexyl mercaptan, 496, 497
n-Hexyl nitrite, 306
 1-Hexyne, 896, 899
 Hinsburg method for separation of amines, 650
 Hippuric acid, 584
 Hoesch reaction, 727‡, 736, 737
 Hofmann reaction, 413‡, 414, 754, 773
 Homophthalic acid, 753, 771
 Hot plate, electric, 58, 61
 Hydratropaldehyde, 906, 907
 Hydrazine hydrate, 190, 976, 977
 Hydrazines, 1075*
 Hydrazobenzene, 628, 629, 632
 conversion into benzidine, 633
 Hydrazo compounds, 1074*
 table of, 1085*
 Hydrazoic acid, 917, 918
 Hydrazones, 341, 510, 1075*
 Hydriodic acid, 187, 188
 Hydrobenzamide, 711, 720
 Hydrobromic acid, 186, 187
 Hydrocarbons, saturated, 234, 1058*
 unsaturated, 239, 1057*, 1058* ; *see*
 also under Aromatic hydrocarbons
 and Saturated aliphatic hydrocarbons
 Hydrocinnamic acid, 474, 753, 768, 769, 924, 925
 Hydrogen, purification of, 186
 Hydrogenation, catalytic, 471
 high pressure, 866-874
 Hydrogen bromide, 180-182
 Hydrogen chloride, 179, 180
 Hydrogen cyanide, 182
 Hydrofluoric acid, 611
 precautions in the use of, 611
 Hydrogen iodide, 182
 Hydrogen 3-nitrophthalates, 264
 Hydrogen sulphide, 185
 Hydrolysis of ketonic esters, acid, 475
 ketonic, 475
 Hydrolysis, quantitative, 392*, 1065*
 Hydrolysis of acid amides, 405*, 799*
 1076*
 Hydrolysis of an ester of a phenol, 1064*
 Hydrolysis of esters, 390*, 391* 486,
 487, 488, 770*, 786*, 1063*, 1064*
 Hydrolysis of fats, 445
 Hydrolysis of nitriles (cyanides), 357,
 410*, 490, 491, 493, 760, 762, 763,
 798, 805*, 1077*
 Hydrolysis of substituted amides, 801*,
 1076*
 Hydrolysis of sulphonamides, 1077*
 Hydroquinone diacetate, 664, 677
 Hydroquinones, 749
 Hydroxamic acid test for esters, 1062*,
 1063*
o-Hydroxyacetophenone, 664, 676
p-Hydroxyacetophenone, 664, 676
p-Hydroxybenzaldehyde, 691, 704
 Hydroxybenzoic acid, infrared spectrum
 of, 1141
p-Hydroxybenzoic acid, 755, 775

- Hydroxylation of ethylenic compounds, 893, 894
- 2-Hydroxylepidine, 855
- β -Hydroxy- α -naphthaldehyde, 690, 691, 703, 704
- 8-Hydroxyquinoline, 830
- Hygroscopic, 43
- Hypsochromic effect, 1145
- Ideal solution, 5
- Ignition test, 1038*
- Imides, 1075*
table of, 1084*
- Immiscible liquids, 12
boiling point of, 13, 14
vapour pressure of, 13, 14
- Incongruent melting point, 31
- Indane-1 : 2-dione, 903, 904
- Indane-1 : 2 : 3-trione hydrate, *see* Ninhydrin
- Indigo, 980
- 3-Indoleacetic acid, 1012, 1013
- Infrared spectra, 1136
applications of, 1142, 1143
applications to organic chemistry, 1134-1143
of *m*-hydroxybenzoic acid, interpretation of, 1140
technique for, 1136
typical bonds or groups, 1137-1140
useful ranges of solvents for, 1137
- Inorganic reagents, gases, 179-186
- Inorganic reagents, liquids, 186-190
- Inorganic reagents, solids, 190-201
- Interchangeable ground glass joints, 206
advantages of, 207
apparatus with, for general use in preparative organic chemistry, 212-221, 226-228
dimensions of British standards, 207, 208
dimensions of U.S.A. standards, 209
lubrication of, 225
semimicro apparatus with, 1109, 1110
sticking of, 225, 226
spherical (semi-ball), 211, 212
types of, 210-212
typical assemblies with, 226-228
- Inulin, 458
- Iodine, detection of, 1041*, 1042*, 1043*, 1045*
recovery of, 647
- Iodine monochloride, 974
- 5-Iodo-2-aminotoluene, 647
- p*-Iodoaniline, 647
- Iodobenzene, 533, 538, 591, 598
- Iodobenzene diacetate, 541
- Iodobenzene dichloride, 534, 541
- o*-Iodobenzoic acid, 760
- Iodoform, 297, 299
test, 1068*, 1069*
- p*-Iodonitrobenzene, 600
- 2-Iodopentane, 288
- p*-Iodophenol, 666, 680
- Iodosobenzene, 534, 541
- p*-Iodotoluene, 591, 599
- Iodoxybenzene, 534, 542
- Ion-exchange resins, 1019; *see* Anion exchange resin and Cation exchange resin
- Keten, 371, 372
- β -Keto-esters, 392
- Ketones; *see* under Aliphatic ketones and Aromatic ketones
- Ketonic hydrolysis, 475, 480, 481
- Ketose, 437
- Knoevenagel reaction, 490, 710, 711 \ddagger , 719
Doebner modification of, 463, 465, 710, 711 \ddagger , 719
- Kofler hot bench, 82
- Knorr pyrrole synthesis, 839 \ddagger , 840
- Kolbe-Schmitt reaction, 754, 755 \ddagger , 774-776
- Kyrides seal, 66
- Laboratory accidents and first aid, 1130-1133
- Laboratory apparatus, common organic, 46-52
- Laboratory work, general instructions for, 204, 205
- Lactones, 1062*
- Lassaigne test, 1039*, 1040*
defects in, 1043
- Lead dioxide, 199
- Lead tetracetate, 199, 951
- Lessing rings, 92
- Leuckart reaction, 561, 567
- Liebermann nitroso reaction, 649*
- Light petroleum, purification of, 174
- Ligroin, 174
- Linseed oil, 445
- Liquid, determination of density and refractive index of, 1029-1034
- Liquid ammonia, reactions in, 895-902
- Liquids, partially miscible, 17-19
- Liquids, supercooled, 22, 23
- Liquidus, 26, 33
- Literature of organic chemistry, 1115-1130
- Lithium, use of, 931
- Lithium aluminium hydride, reductions with, 877-881
- Locating an organic compound, 1128
- Lubrication of ground glass joints, 225
- Lucas test, 261*
reagent, 261*

- Magnesium sulphate, as desiccant, 41, 140
- Magnesium turnings, for Grignard reaction, purification of, 237
- Magneson I, 960
- Magneson II, 960
- Magnetic stirring, 70
- Malaprade reaction, 446, 1070*
- Maleic acid, 461, 462
catalytic reduction to succinic acid, 473
conversion into fumaric acid, 463
melting point of, 462
- Maleic anhydride, 371, 376, 462, 942, 943
- Malonic acid, 489, 490
- Malononitrile, 428, 434
- Mandelic acid, 754, 774
- Manganous oxide catalyst, 339
- Mannich bases, 910, 911
- Mannich reaction, 910, 911†, 912, 1012, 1013
- Mannitol, 448
- Manometers, 104, 112
U-tube, 112
"vacustat," 112, 113
Zimmerli, 113
- Manostats, 112, 114
Cartesian, 115, 116
needle type, 115
Newman, 114
- Mechanical agitation, 62-70
- Mechanical shaking machine, 69
- Mechanical stirring, 62-70, 1108
- Meerwein-Ponndorf-Verley reduction, 882†, 883-886
- Melamine-formaldehyde polymers, 1017
- Melting theory, of, 21
under the solvent, 35
- Melting point, 21
and vapour pressure, 21
congruent, 29
effect of impurities upon, 23, 24
experimental determination of, 75-83, 229
incongruent, 31, 32
mixed, 34, 35, 229, 230
of a mixture, 26
- Melting point apparatus, 77-83
bath liquid for, 78
electrically-heated, 81-83
housing for, 78
Kofler hot bench, 82
- Melting point capillaries (tubes), preparation of, 75, 76
filling of, 76
- l*-Menthone, 335, 337
- Mercaptans, 496, 1077
general remarks on the preparation of, 497
- Mercaptans—*cont.*
reactions and characterisation of, 500*, 1078*
table of and derivatives of, 502*
- Mercury, detection of, 1043*
- Mercury benzamide, 797
- Mercury-sealed stirrers, 66-69, 220†
- Mesitaldehyde, 690, 701
- Mesityl oxide, 353
- Metaldehyde, 319
- Metanilic acid, 586, 589
- Methiodides, 660*
- Metho-*p*-toluenesulphonates, 660*
- p*-Methoxyacetophenone, 733
- p*-Methoxybenzaldehyde, 690, 703
- 4-Methoxybenzoin, 708, 714
- p*-Methoxycinnamic acid, 719
- p*-Methoxyphenylacetic acid, 904, 905, 924, 925
- p*-Methoxyphenylurea, 646
- Methyl acetate, 383
purification of, 174
- Methyl alcohol, 169
determination of water in, 21
preparation of absolute, 169, 170
- p*-Methylacetophenone, 725, 730
- Methyl alcoholic potassium hydroxide solution, 1063*
- Methylamine hydrochloride, 411, 414, 415
- Methyl *n*-amyl carbinol, 247, 254
- Methyl *n*-amyl ketone, 482
- Methylaniline (mono), pure, from commercial methylaniline, 562, 570
- β -Methylantraquinone, 728, 740
- Methyl benzoate, 780, 781
- p*-Methyl benzyl alcohol, 811, 812
- Methyl benzyl ketone, 727, 735
- Methyl γ -bromocrotonate, 926, 927
- 2-Methyl-2-butene, 239
- Methyl *n*-butyl carbinol, 247, 255
- Methyl *n*-butyl ether, 314
- Methyl *n*-butyl ketone, 475, 481
- 4-Methylcarbostyryl, 855
- p*-Methylcinnamic acid, 719
- 4-Methylcoumarin, 853, 854
- Methyl crotonate, 926, 927
- dl*-Methylethylacetic acid, 354, 358
- Methylethylethynyl carbinol, 468
- Methyl ethyl ketone, 335, 336
purification of, 172
- Methyl *n*-hexyl ether, 314
- Methyl *n*-hexyl ketone, 335, 336
- Methyl *n*-hexyl ketoxime, 348
- Methyl hydrogen adipate, 938
- Methyl hydrogen sebacate, 938, 939
- 4-Methyl-7-hydroxycoumarin, 834
- Methyl iodide, 287
- Methyl isopropyl carbinol, 247, 255
- Methyl 4-keto-octanoate, 936

- Methyl methacrylate, 1016
 depolymerisation of resin, 1023
 polymerisation of, 1023
 Methyl α -naphthyl ketone, 767
 Methyl β -naphthyl ketone, 726, 731, 767, 924
 Methyl *m*-nitrobenzoate, 753, 769
 Methyl orange, 620, 621, 624
 reduction of, 624
 Methyl β -phenylethyl ketone, 727, 736
 Methylphenylnitrosamine, 562, 570
 Methylphenylosazones, 456*
 Methyl *n*-propyl ketone, 340
 Methyl pyridines, purification of, 177-179
N-Methylpyrrole, 837, 838
 Methyl red, 621, 625
 sodium salt of, 626
 Methyl salicylate, 780, 782
 Methyl sulphite, 304
 2-Methylthiophene, 836
 Methyl *p*-toluenesulphonate, 825
 Methylurea, 968, 969
 Methylene bromide, 300
 Methylene chloride, purification of, 176
 3 : 4-Methylenedioxy-cinnamic acid, 711, 719
 Methylene iodide, 300
 Michael reaction, 912, 913†, 914
 Michler's ketone, 982
 Mixed melting point, 34, 229, 1028
 Mixtures of organic compounds, qualitative analysis of, 1090*-1100*
 preliminary examination, 1093*, 1094*
 separation of water-insoluble, 1095*-1097*
 separation of water-soluble, 1098*-1100*
 Mol fraction, 5
 Molecular distillation, 120-122
 still for, 121, 122
 Molecular extinction coefficients, 1135
 Molecular weight, by Rast camphor method, 1037
 Molisch test, 453*
 Monastral blue, 983
 Monobromoacetic acid, 427, 429
 Monochloroacetic acid, 427, 428
 Monoethylaniline, *see* Ethylaniline
 Monoperphthalic acid, 807, 810
 Monosaccharides, 449, 455
 Mucic acid, 452, 1070*
 Myristic acid, 938, 940, 941

 α -Naphthaldehyde, 692, 700
 β -Naphthaldehyde, 691, 698, 699, 701
 α -Naphthalides, 290*
 1 : 2-Naphthoquinone, 745, 746
 1 : 4-Naphthoquinone, 745, 746, 942, 943

 Naphthionic acid, 585, 586
 β -Naphthol, 664, 668
 conversion into di- β -naphthol, 668
 β -Naphthol- α -aldehyde, 690, 691, 703, 704
 β -Naphthol orange, 621, 625
 α -Naphthoic acid, 752, 764, 765, 929, 931
 β -Naphthoic acid, 753, 766, 767
 α -Naphthonitrile, 752, 764
 β -Naphthoyl chloride, 691, 699
 β -Naphthyl acetate, 665, 669
 α -Naphthylacetic acid, 752, 763, 903, 904
 β -Naphthylacetic acid, 924, 925
 α -Naphthylacetoneitrile, 752, 763
 α -Naphthylamine, 561, 568
 β -Naphthylamine, 561, 568
 carcinogenic properties of, 562
 2 Naphthylamine-1-sulphonic acid, 604, 752, 767
 β -Naphthyl benzoate, 784
 α -Naphthylcarbamates, 364*
 α -Naphthyl isocyanate, 264, 291
 α -Naphthylhydantoic acids, 437*
 β -Naphthyl methyl ether, 665, 670, 767
 α -Naphthyl magnesium bromide, 765
 α -Naphthylureido acids, 437*
 α -Naphthylurethanes, 264, 683
 Nerolin, 665, 670
 Neutralisation equivalent, determination of, 360, 1071
 Nicol prism, 503
 Nicotinamide, 850
 Nicotinic acid, 848
*iso*Nicotinic acid, 848
 Nihhydrin, 436*, 993, 994, 995
 Nioxime, 974, 975
 Nitration of aromatic hydrocarbons, 523†
 Nitric acid, 188
 fuming, 189
 Nitriles, 410*, 805*, 1075*
 hydrolysis of, 1077*; *see* under Aliphatic cyanides and Aromatic cyanides
*iso*Nitriles, 420, 648, 1073
 Nitro compounds, 1074*
 intermediate products in reduction of, 628, 1074*
 reduction of, to amines, 563, 564, 565, 1076*; *see* also Aliphatic nitro compounds and Aromatic nitro compounds
 Nitro derivatives of aromatic hydrocarbons, 520*
 of halogenated aromatic hydrocarbons, 543*
p-Nitroacetanilide, 577, 581

- m*-Nitroaniline, 563, 574
p-Nitroaniline, 577, 581
 Nitrobarbituric acid, 851
o-Nitrobenzaldehyde, 696
 diacetate, 696
m-Nitrobenzaldehyde, 881
p-Nitrobenzaldehyde, 689, 695, 700
 diacetate, 696
 Nitrobenzene, 523, 525
 purification of, 175
p-Nitrobenzene-azo- α -naphthol, 960
p-Nitrobenzene-azoresorcinol, 960
m-Nitrobenzenesulphonic acid, 586, 589
o-Nitrobenzenesulphonyl chloride, 585, 586
p-Nitrobenzoates, 263*, 682*
m-Nitrobenzoic acid, 753, 769
p-Nitrobenzoic acid, 751, 757
p-Nitrobenzoyl chloride, 791, 792
p-Nitrobenzoyl peroxide, 807, 808
o-Nitrobenzyl alcohol, 882
m-Nitrobenzyl alcohol, 881
p-Nitrobenzyl bromide, 961
p-Nitrobenzyl cyanide, 751, 763
p-Nitrobenzyl esters, 362*
 1-Nitro-*n*-butane, 302, 307
m-Nitrocinnamic acid, 719
 Nitrogen, detection of, 1040*, 1045*
 purification of, 186
 1-Nitro-*n*-hexane, 307
 Nitromethane, 302, 307, 709
 α -Nitronaphthalene, 523, 526
o-Nitrophenol, 665, 677
m-Nitrophenol, 595, 614
p-Nitrophenol, 665, 677
p-Nitrophenylacetic acid, 752, 763
p-Nitrophenylarsonic acid, 597, 618
p-Nitrophenylhydrazine, 635, 637
p-Nitrophenylhydrazones, 436*, 722*
 3-Nitrophthalic acid, 966
 4-Nitrophthalic acid, 966, 967
 3-Nitrophthalic anhydride, 966, 967
 derivatives with, 654*
 8-Nitroquinoline, 828, 830
 5-Nitrosalicylaldehyde reagent, 421*
 test, 421*
 Nitrosamines, 1074*, 1076*
 Nitrosobenzene, 629, 630
 Nitroso compounds, table of, 1085*
p-Nitroso derivatives, 660*
N-Nitrosodiethylamine, 426
N-Nitrosodimethylamine, 426
p-Nitrosodimethylaniline, 562, 573
N-Nitrosoethylamine, 570
N-Nitrosomethylaniline, 562, 563, 570
p-Nitroso-*N*-methylaniline, 563, 574
 Nitrosomethylurea, 968, 969
 α -Nitroso- β -naphthol, 958
 β -Nitrostyrene, 709, 717
 $\alpha\beta$ -Nonenoic acid, 465, 468
n-Nonoic acid, 487
n-Nonyl alcohol, 247, 254
n-Nonylaldehyde, 892
 Norleucine, 427, 432
 Note books, 204
 "Nylon," 1019
 "Nylon," depolymerisation of, 1025
 formation of, 1025

n-Octaldehyde, 324
n-Octane, 236, 238
n-Octonitrile, 408
sec-Octyl alcohol, resolution of, 505
n-Octyl bromide, 282
n-Octyl iodide, 288
 Oil, fatty, vegetable or animal, 444
 Oil pumps, 110
 protection of, 111
 Oleum, 188
 Oppenauer oxidation, 886, 887†, 888
 Orange II, 621, 625, 745
 Organocadmium compounds, syntheses
 with, 933-935
 Organolithium compounds, syntheses
 with, 928-933
 Organosodium compounds, syntheses
 with, 935-937
 Organosilicon polymers, 1020
 Original sources of chemical information, 1127
 Orthanic acid, 585, 587
 Osazones, 450*, 1069*
 formation of, 455*
 photographs of, facing 455
 Osmium tetroxide, 894, 895
 Oxidation of a side chain, 520*, 529*, 672*
 Oximes, 341*, 343, 345*, 348, 721*, 1075*
 table of, 1087*
 Oxine, 830
 Ozonides, 888
 Ozonisers, 890, 891
 Ozonolysis, 888-893

 Palladium-barium carbonate catalyst, 951
 Palladium-barium sulphate catalyst, 699, 951
 Palladium-calcium carbonate catalyst, 891
 Palladium-carbon catalysts, 948, 950
 Palladium catalysts, for dehydrogenation, 948
 for hydrogenation, 949, 950, 951
 Paraformaldehyde, 319
 Paraldehyde, 319, 324
 Partially miscible liquids, 17
 Partition coefficients, 44, 45
 Pechmann reaction, 853†, 854, 855

- Pelargonic acid, 487
 Pentamethylene dibromide, *see* 1 : 5-Dibromopentane
 Pentamethylene dicyanide, 493
 2-Pentene, 239
 4-Pentyn-1-ol, 896, 901
 Peracetic acid oxidation, 755, 768, 893
 Perbenzoic acid, 807, 808, 894
 analysis of, 809
 Performic acid, 893, 894
 Periodic acid, 1070
 reagent, 1070*
 Perkin reaction, 706, 707†, 708, 712, 713
 Ogialoro modification of, 708
 Perkin triangle, 108, 218†
 Kon modification of, 109
 Peroxides, detection of, in ether, 163
 removal from diethyl ether, 163
 removal from *isopropyl alcohol*, 886
 Petroleum ether, purification of, 174
 Phenacetin, 996, 997
 1 : 10-Phenanthroline, 991, 992
 p-Phenetidine, 997, 998
 Phenetole, 665, 670
 Phenobarbitone, 1003, 1004, 1005
 Phenol, 595, 613
 Phenol - aldehyde polymers, 1016
 formation of, 1022
 Phenolphthalein, 984, 985
 action as indicator, 984†
 Phenol red, 989, 990
 Phenols, 664
 crystalline derivatives of, 682*
 reactions and characterisation of, 664*, 1071*, 1072*
 separation from acids, 786*
 table of and derivatives of, 685*
 Phenosulphonophthalein, 990
 Phenyl acetate, 665, 669
 Phenylacetamide, 752, 762
 Phenylacetic acid, 752, 757, 761
 p-Phenylacetophenone, 962
 Phenylacetylene, 896, 900
 dl-β-Phenylalanine, 908, 910
 N-Phenylanthranilic acid, 991
 Phenylarsonic acid, 597, 617
 Phenyl-azo-β-naphthol, 620, 622
 reduction of, 623
 Phenyl benzoate, 780, 784
 hydrolysis of, 786*
 Phenylbenzoyldiazomethane, 856
 Phenyl *isocyanate*, 264, 290
 Phenyl *n*-butyl ether, 665, 671
 γ-Phenylbutyric acid, 728, 738
 Phenylcarbamates, 264*
 Phenyl cinnamate, 780, 784
 α-Phenyleinnmiac acid, 707, 708, 713
 Phenyldiazonium chloride, solid, 591, 597
 solution of, 590, 598
 Phenyldiazonium hydrogen sulphate, solid, 591, 598
 o-Phenylenediamine, 640
 m-Phenylenediamine, 640, 641
 1-Phenyl-2 : 3-dimethyl-5-pyrazolone, 998
 β-Phenylethyl alcohol, 812, 816
 Phenylethylene, 1015, 1024
 α-Phenylethylamine, 560, 566
 β-Phenylethylamine, 560, 567, 569
 Phenylethylbarbituric acid, 1003, 1005
 β-Phenylethyl bromide, 283
 β-Phenylethyl iodide, 288
 Phenylglycine-*o*-carboxylic acid, 980
 Phenylglyoxal, 866
 Phenylhydrazine, 635, 636
 hydrochloride, 636, 637
 Phenylhydrazine acetate reagent, 343*, 721*
 Phenylhydrazones, 342*, 343*, 721*, 852
 β-Phenylhydroxylamine, 628, 629, 959
 conversion into *p*-aminophenol, 630
 2-Phenylindole, 851, 852
 Phenyl-lithium, 928, 931, 932
 Phenylmethylglycidic ester, 906, 907
 1-Phenyl-3-methyl-5-pyrazolone, 998
 p-Phenylphenacyl bromide, 962
 p-Phenylphenacyl esters, 363*
 Phenylpropionic acid, 755, 776
 Phenylpropionaldehyde, 906, 907
 Phenyl propionate, 676
 2-Phenylpyridine, 929, 931
 2-Phenylquinoline-4-carboxylic acid, 1010, 1011
 Phenyl *iso*-thiocyanate, 642, 643
 Phenylthioureas, 422*, 655*
 Phenylurea, 644, 645
 Phenylurethanes, 264*
 Phloracetophenone, 727, 736
 Phosgene, 185
 Phosphoric acid, 189, 284
 Phosphorus, detection of, 1043*
 Phosphorus, red, purification of, 193
 Phosphorus oxychloride, 367
 Phosphorus pentabromide, 489, 492
 Phosphorus pentachloride, 799, 822, 974
 Phosphorus pentoxide, handling of, 407
 Phosphorus tribromide, 189, 492
 Phosphorus trichloride, 367
 Phosphorus "trisulphide," 836
 Phthalamide, 983
 Phthalein test, 681*
 Phthalic anhydride, 681, 753, 984, 985
 purification of, 507
 Phthalide, 753, 772
 Phthalimide, 753, 754, 771
 Phthalimides, *N*-substituted, 423*
 Phthalonitrile, 983
 Phthalylacetic acid, 995
 Physical constants, determination of, 1028-1037

- α -Picoline, purification of, 177
 β -Picoline, purification of, 178
 γ -Picoline, purification of, 178
 Picolinic acid, 847
 Picrates, 422*, 518*, 544, 672*
 of β -naphthyl alkyl ethers, 292*
 Picric acid, 666, 678
 Pimelic acid, 489, 492, 493
 Pinacol, 349, 350
 Pinacol hydrate, 350
 Pinacol-pinacolone rearrangement, 349‡,
 350, 351
 Pinacolone, 349, 351
 β -Piperonylacrylic acid, 711, 719
 Pivalic acid, 350, 351
 Platinum catalysts, for dehydrogena-
 tion, 948
 for hydrogenation, 470, 471
 Poisons, 1133
 Polarimeter, 503
 half-shadow, 503, 504
 tube, 504
 Polarizer, 503
 Polyamides, 1019
 depolymerisation of, 1025
 formation of, 1025
 Polyethylene polysulphide, 1024
 Polyhalogen aliphatic compounds, 297
 Polyhydric alcohols, 444
 reactions and characterisation, of
 447*, 1069*, 1070*
 table of, and derivatives of, 448*
 Polyphosphoric acid, 853
 Polystyrene, 1015, 1025
 Polythene, 1015
 Polymers, addition, 1015
 condensation, 1014, 1016
 copolymers, 1014
 organosilicon, 1020
 Polysaccharides, 449
 notes on identification of, 458*
 Porous porcelain, "pot", 4, 5
 Potassium, precautions in the use of, 920
 Potassium acetate, fused, 713
 Potassium borohydride, reductions with,
 881, 882
 Potassium *tert.*-butoxide, 920, 921
 Potassium *n*-butyl xanthate, 499
 Potassium ethyl xanthate, 496, 499
 Potassium hypochlorite solution, 461
 Potassium iodide - iodine reagent, 1069*
 Prileschajew epoxidation reaction, 893‡,
 894
 Primary aliphatic amines, 413
 crystalline derivatives of, 424*
 reactions of, 420*, 1072*
 table of, and derivatives of, 424*
 Primary aromatic amines, 539
 crystalline derivatives of, 652*
 reactions and characterisation of,
 648*, 1073*
 Primary aromatic amines—*cont.*
 table of, and derivatives of, 656*
 Pro-oxidants, 694
 Propionaldehyde, 321, 322
o-Propiophenol, 664, 676
p-Propiophenol, 664, 676
 Propiophenone, 732, 936, 937
 β -*n*-Propoxypropionitrile, 915, 916
n-Propyl acetate, 383
iso-Propyl acetate, 383
n-Propyl alcohol, absolute, 170
iso-Propyl alcohol, recovery of, 886
 removal of peroxides in, 886
n-Propylaniline, 571
iso-Propylaniline, 571
n-Propylbenzene, 511, 516
iso-Propylbenzene, 509, 512
n-Propyl benzoate, 780, 782
n-Propyl benzyl ketone, 727, 736
n-Propyl bromide, 277, 279, 282
iso-Propyl bromide, 270, 277
n-Propyl formate, 385
n-Propylglutaric acid, 915, 917
n-Propyl iodide, 287
iso-Propyl iodide, 285, 287
iso-Propyl lactate, 381, 387
n-Propylmalonic acid, 488
n-Propyl β -phenylethyl ketone, 727, 736
n-Propyl thiocyanate, 305
n-Propyl *n*-valerate, 381, 387
 Protection of amino group, 577
 Prussian blue, 1039*
 Pseudo-saccharin chloride, 978
 Pseudo-saccharin ethers, 266*, 684*
 Pumps, oil, 110
 water, 104, 110
 Purification of common organic sol-
 vents, 163-179
 Purification of solids by crystallisation,
 122-130
 by distillation, 107
 P.V.C., 1015, 1016
 Pycnometer, 1029
 Pyridine, purification of, 175, 176
 Pyrrole, 837
 Pyruvic acid, 1010

 Qualitative organic analysis, 1027*;
 see also End papers
 basis of, 1027*
 for the elements, 1038*-1045*
 preparation of derivatives for, 1027*,
 1081*-1083*
 Qualitative organic analysis of mixtures,
 1090*-1100*
 separations, 1091*, 1092*
 preliminary examination of, 1093*,
 1094*
 separation of water-insoluble, 1095*-
 1097*

- Qualitative organic analysis of mixtures
—*cont.*
separation of water-soluble, 1098*–
1100*
tables for, 1097*. 1100*
- Quinaldine, 831‡, 832
- Quinaldinic acid, 975, 976
- Quinhydrone, 745, 747
- Quinoline, 828
- Quinoline - sulphur poison, 700
- Quinones, 745
reactions and characterisation of,
747*, 1068*
table of, and derivatives of, 750*
- Quinoxalines, 749*
- Radt-Elsevier Encyclopædia of Organic
Chemistry, 1129
- Raney nickel catalyst, 560, 566, 870
- Raoult's law, 5, 6, 7
- Raschig rings, 92
- Rast camphor method, for molecular
weights, 1037
- Reactions under pressure, apparatus for,
866–870
- Receiver adapters, 212‡
- Recrystallisation, 122–125
common solvents for, 124
choice of solvent for, 125, 232
difficulties encountered in, 129, 130
exercises in, 232, 233
experimental details for, 125–127
filtration of hot solutions in, 126
less common solvents for, 124
in an atmosphere of inert gas, 135
purification of solid compounds by,
232, 233
solvent pairs for, 125
treatment of "oil" in, 129, 130
- Rectified spirit, 166
dehydration by quicklime, 166
- Red phosphorus, purification of, 193
- Reduction adapters, 212‡
- Reference works in organic chemistry,
1128–1130
- Reflux ratio, 92, 95
- Reformatsky reaction, 874‡, 875, 876
- Refractive index, determination of, 1031
- Refractivity, molecular, 1034
atomic and structural constants,
1035
bond refractions, 1036
- Refractometer, Abbe, 1033
- Reimer-Tiemann reaction, 691, 692‡,
703–705
- Resolution of a racemic compound, 503
of *sec*-.octyl alcohol, 505
- β -Resoreylaldehyde, 690, 702
- β -Resorcylic acid, 754, 775
- Rimini test, 420*
- Ring enlargement with diazomethane,
946‡, 947
- Rosenmund reduction, 691, 699
- Rotation, molecular, 505
specific, 505
- Rotatory power, determination of, 504
- Rubber, natural unvulcanised, 1022
synthetic, 1022
- Rubber stoppers, 55
boring of, 56
- Saccharic acid, 453
- Saccharin, 821, 824, 987
- Safety precautions, 205, 206
- Salicylaldehyde, 691, 703
purification of commercial, 704
- Salicylaldoxime, 957, 958
- Salicylic acid, 754, 775
- Salting out, 260, 548
effect, 151
- Sandmeyer reaction, 591, 592‡, 594,
600–603, 751
- Saponification; *see* Hydrolysis
- Saponification equivalent of an ester,
determination of, 392*, 1065*
- Saturated aliphatic hydrocarbons, 233
reactions and characterisation of,
234*, 1058*
table of, 235*
- Schiemann reaction, 594‡, 595, 600–603,
751
- Schiff's bases, 653*
- Schiff's reagent, 330*, 1061*
- Schmidt reaction or rearrangement, 917,
918‡, 919
- Schotten-Baumann reaction, 582, 584,
780, 784; *see also* Benzoates
- Sebacic acid, 469, 938, 939
- Secondary aliphatic amines, 413
crystalline derivatives of, 422*
reactions of, 421*, 1072*
table of and derivatives of, 424*
- Secondary alkaryl amines, 562, 570, 571
- Secondary aromatic amines, 559, 562
crystalline derivatives of, 652*
reactions and characterisation of,
649*, 1173*
table of and derivatives of, 659*
- Secondary sources of chemical informa-
tion, 1127, 1128
- Seeding, 27, 129
- Selenium dioxide, 200
oxidation with, 866, 974, 975, 993,
995
- Semicarbazide hydrochloride, 954
- Semicarbazones, 333*, 342*, 344*, 1075*
- Semimicro apparatus:
centrifuge tube, 1101
clamp, 1104
"cold finger" condenser, 1103

- Semimicro apparatus—*cont.*
 distillation flask, 1102
 distillation tube, 1103
 dropper pipette, 1102
 "filtration nail," Willstätter, 1107
 fractionating column, 1104, 1105, 1110
 Schwinger filter, 1107
 still head, 1103, 1105
 with interchangeable ground glass joints, 1109, 1110
- Semimicro operations :
 distillation at atmospheric pressure, 1102, 1103, 1109
 distillation under diminished pressure, 1104
 filtration, 1106, 1107, 1108
 fractional distillation at atmospheric pressure, 1104, 1105, 1110
 fractional distillation under diminished pressure, 1105, 1110
 heating under reflux, 1105
 recrystallisation, 1106, 1107
 separation of liquids, 1102
 steam distillation, 1106, 1109
 stirring, 1108, 1110
 sublimation, 1108
 transfer of liquids, 1102
- Semimicro technique, 1101–1110
 Setting point, determination of, 81
 Side chains, oxidation of, 520*
 529*, 544*, 672*, 714
- Silicone, fluids, 59, 1020
 resins, 1020
 stopcock greases, 225
- Silver maleate, 388
 Silver nitrite, 201
 Simon's test, 421*
- Skraup reaction, 828‡, 829, 830, 991, 992
- Small scale preparations, 1110–1114
 advantages of, 1110, 1111
 apparatus for, 1111
 basis of an elementary course, 1111–1114
- Small scale preparations, experimental details for :
 aniline, 1102
 cinnamic acid, 1113
- Soaps, 445
- Soda lime, distillation with, 777*
- Sodamide, 195–197, 467, 845, 846, 895, 896, 898, 899, 1008
 small quantities of highly reactive, 197
- Sodium, 143
 as desiccant, 143, 144
 precautions in handling, 143, 236, 482, 1040
- Sodium, granular, "molecular," powder or sand, 193, 933
 wire, 164
- Sodium acetate, anhydrous, 197
 Sodium acetylide, 896, 899
 Sodium amalgam, 194, 769, 964
 Sodium anthraquinone- β -sulphonate, 981
 Sodium azide, 918, 919
 Sodium benzenesulphonate, 548, 549
 Sodium bicarbonate solution test, 360*, 1071*
 Sodium bisulphite reagent, 332
 Sodium borohydride, reductions with, 881–882
 Sodium *p*-bromobenzenesulphonate, 550
 Sodium carbonate-zinc mixture, 1042*
 Sodium cyanide, precautions in the use of, 409
 Sodium ethoxide, 863
 solution, 859
 Sodium fusion, 1039*, 1040*
 Sodium hydride, precautions in the use of, 922
 Sodium hyposulphite (dithionite), 621, 625
 Sodium β -naphthalenesulphonate, 548, 551
 Sodium nitroprusside, 1041*
 Sodium plumbite solution, 1041*
 Sodium press, 164
 Sodium sulphide, anhydrous, 197
 use of, 574, 587
 Sodium *p*-toluenesulphinat, 821, 826
 Sodium *p*-toluenesulphonate, 548, 550
 Sodium triphenylmethide, 477, 479
 Solid carbon dioxide, *see* Dry Ice
 Solid solution, 32, 34
 Solidus, 26, 33
 Solubilities, of alcohols in water, 1046
 of stereoisomers in water and in alcohol, 1047
 Solubilities of organic compounds, 1045*–1050*
 determination of, for group tests, 1055*, 1056*
 in reaction solvents, 1048*–1050*
- Solubility groups, 1050*–1054*
 classification of, 1054*
 outline of solubility classification procedure, 1054*
 table of, 1052*
- Solutions, conjugate, 17–20
 Solutions of liquids in liquids, 17
 Solvents, 123, 124
 evaporation of, 135, 136
 for recrystallisation, 123–125
 purification of, 163–179
- Sommelet reaction, 692, 693‡, 700, 701
- Sorbic acid, 466
 Sorbose, 450
- Soxhlet extraction apparatus, 153, 154, 223†
- Spatulas, 252

- Specimens, preserving of, 205
 Splash head, 214†
 Stannous chloride, anhydrous, 197; *see*
 also Stephen reaction
 Starch, 458*
 Steam distillation, 12, 228†, 1109*
 continuous, of liquids heavier than
 water, 148, 149
 of large quantities, 149
 of small quantities of material, 149,
 1109
 technique of, 145–149
 theory of, 12–15
 use of, 145
 with superheated steam, 15, 16
 Stem correction, 72
 Stephen reaction, 318†, 324, 691, 698
 Sticking of ground glass joints, 225, 226
 Still heads for fractionating columns,
 102
 Stirrers, 64, 67, 219†
 glycerine-sealed, 66, 67, 219†
 Hershberg, 64, 69
 Kyrides, 67
 magnetic, 70
 mercury-sealed, 66, 68, 219†
 precision-ground, 219†
 “vibro mixer,” 65
 vortex, 64
 Teflon, 64
 Stirring, 67
 in an inert atmosphere, 69
 magnetic, 70
 mechanical, 62–70
 Stobbe condensation, 919, 920†, 922,
 923
 Stoppers, 55, 212†
 Styphnates, 519*
 Styrene, 1015, 1024
 Styrene dibromide, 896, 900
 Styrene oxide, 893, 894
 Suberic acid, 893, 894
 Sublimation, 37
 in a stream of an inert gas, 155
 technique of, 154–156, 1108
 theory of, 37
 under reduced pressure, 156
 Substituted aliphatic monobasic acids,
 427
 N-Substituted phthalimides, 423*
 Succinamide, 401, 403*
 Succinilic acid, 377*
 Succinic acid, 473, 494
 Succinic anhydride, 371, 375
 Succinimide, 840
 Sugars, 1069*, 1070*; *see* also Carbo-
 hydrates
 Sulphaguanidine, 1009, 1010
 Sulphanilamide, 1005, 1006, 1007
 Sulphanilic acid, 585, 586
 Sulphanilylguanidine, 1009
 Sulphapyridine, 1007, 1008
 Sulphides, 496, 497, 498, 500*, 1078*
 Sulphinic acids, 826, 1078*
 o-Sulphobenzoic acid, acid ammonium
 salt, 988
 o-Sulphobenzoic anhydride, 987, 988
 Sulphonacetamides, 554*
 Sulphonamides, 543*, 553*, 671*, 1076*
 hydrolysis of, 1077*
 Sulphonanilides, 553*
 Sulphonation of aromatic hydrocarbons,
 548, 549†
 Sulphones, 500*, 1078*
 Sulphonophthaleins, 989, 990
 Sulphonic acids, 548, 557, 1077*; *see*
 also under Aromatic sulphonic acids
 alkyl esters of, 1079*
 Sulphoxides, 500, 1078*
 Sulphur compounds, miscellaneous,
 table of, 1088*
 Sulphur, detection of, 1041*, 1045*
 Sulphur dioxide, 185, 607
 test reagent, 553*
 Sulphuric acid, 188
 esters of, 303, 1078*
 fuming, 188
 Sulphuryl chloride, purification of, 189
 Supercooled liquid, 22, 23
 Superheated steam, 15, 16
 Superheaters, 15, 16
 Superheating, 3
 Synthetic polymers, 1014–1025
 Synthetic rubbers, 1021, 1022
 Tautomeric substance, 475, 1147
 Teflon, 5, 64, 1015
 Terephthalic acid, 751, 760
 Tertiary amines, 414, 559, 1073*
 table of, and derivatives of, 661*
 Tertiary aromatic amines, crystalline
 derivatives of, 650*
 reactions of, 649*, 1073*
 Tetrabromophenolsulphonophthalein,
 989, 990
 ε-Tetrachloroethane, purification of, 176
 Tetradecanoic acid, 938, 940, 941
 n-Tetradecyl bromide, 283
 1 : 2 : 3 : 4-Tetrahydrocarbazole, 852
 Tetrahydrofuran, 271
 Tetrahydrofurfuryl chloride, 896, 901
 Tetrahydropyran, 271
 Tetralin, dehydrogenation of, 948, 949
 purification of, 949
 α-Tetralone, 728, 737
 “Tetramethyl base,” 987
 pp'-Tetramethyldiaminodiphenyl-
 methane, 987
 Tetramethylene glycol, 250
 Thaw-melt method, 28
 Thaw point, 29

- Thermometers, 72**
 calibration curve for, 231
 calibration of, 72-74
 reference substances for calibration of, 73, 74
 stem correction, 72
Thermometers, use in apparatus with interchangeable ground glass joints, 213†, 227†
Thermostat, notes on construction of, 1031
Theoretical plate, 94
 height equivalent of, H.E.T.P., 95
Thioamide, 923
Thiocarbanilide, 642
*iso*Thiocyanates, 1079*
Thio-*p*-cresol, 827
Thioethers, 496, 497, 498, 500, 1078*
Thiokol A, 1021, 1024
Thiols, 496, 497
 reactions and characterisation, of 500*, 1077*
 table of, and derivatives of, 502*
Thiomorpholides, 924
Thionyl chloride, 367, 791, 792, 901, 974
 purification of, 189
Thiophene, 837
 removal from benzene, 172, 173
Thiophenol, 821, 827
Thiophenols, 1077*
Thiourea, 442, 965
Thiureas, substituted, 1079*
Thoria catalyst, 735
Tischenko reactions, 318
Tollen's ammoniacal silver nitrate reagent, 330*, 1061*, 1074*
p-Tolualdehyde, 689, 697
o-Toluamide, 798
Toluene, 510, 516, 615
 purification of, 173, 174
 separation from benzene, 231
p-Toluenesulphinic acid, 821, 826
o-Toluenesulphonamide, 821, 824
p-Toluenesulphonamide, 820, 823
p-Toluenesulphonates, 422*, 437*, 650*, 684*
p-Toluenesulphonic acid, 548, 552
o-Toluenesulphonyl chloride, 820, 823, 824
p-Toluenesulphonyl chloride, 820, 822
 purification of, 653
o-Toluic acid, 752, 760
p-Toluic acid, 594, 608, 752, 761, 929, 930, 933, 934
p-Toluidides, 361*, 394*
p-Toluidine, 565
o-Tolunitrile, 609
 conversion into *o*-toluamide, 798
p-Tolunitrile, 594, 607
 hydrolysis to *p*-toluic acid, 608
p-Toluylo-*o*-benzoic acid, 718, 740
p-Tolyl carbinol, 811, 812
p-Tolyl cyanide, 594, 607
p-Tolyl mercaptan, 827
p-Tolyl-sodium, 933, 934
p-Tolylsulphonylmethylnitrosamide, 960, 970
p-Tolyl urea 645, 646
 Transition point, 32
 Transmittance, 1136
 Traps, gas absorption, 71
 for oil pumps, 111
 Tri-*n*-amyl carbinol, 259
 2 : 4 : 6-Tribromoacetanilide, 576, 579
 2 : 4 : 6-Tribromoaniline, 576, 579
sym.-Tribromobenzene, 596, 615
 1 : 2 : 3-Tribromopropane, 301
 Tri-*n*-butyl carbinol, 259
 Tricarballic acid, 912, 913
 Trichloroacetic acid, 427, 431
 Trichloroethyl alcohol, 882
 Triethyl carbinol, 248, 258
 3 : 4 : 5-Triiodobenzoates, 265*
 3 : 4 : 5-Triiodobenzoic acid, 973
 3 : 4 : 5-Triiodobenzoyl chloride, 973, 974
 Triketohydrindene hydrate, 436*, 993, 995
 Trimethylacetic acid, 350, 351
 Trimethylamine hydrochloride, 414, 416
 Trimethylene dibromide, 279
 Trimethylene dicyanide, 407, 409
 Trimethylene di-iodide, 288
 1 : 3 : 5-Trinitrobenzene, 965
 addition compounds of, 519*
 2 : 4 : 6-Trinitrobenzoic acid, 751, 758
 2 : 4 : 6-Trinitrophenol, 666, 678
 Trioxane, 319
 Triphenylcarbinol, 811, 813, 814, 816
 Triphenylchloromethane, 811, 815, 952
 Triphenylguanidine, 643
 Triphenylmethane, 509, 515
 Triphenylmethyl sodium, 477, 479
 Triple point, 37, 38
 Tri-*n*-propyl carbinol. 259
 Trityl chloride, 815
Ullmann reaction, 524, 527
Ultraviolet and visible spectra, 1134, 1143-1149
 applications of, 1147-1149
 and keto-enol tautomerism, 1147-1148
 and *cis-trans* tautomerism, 1148
 solvents for, 1144
 survey of data, 1144-1148
 technique of, 1143-1144
 Undecylenic acid, 468
 10-Undecynoic acid, 468, 469
 oxidation to sebacic acid, 469

- Unsaturated (ethylenic) hydrocarbons,
 reactions of, 241*, 1057*, 1058*
 table of, 242*
 Unsaturation, tests for, 360*, 1058*
 Unsymmetrical diaryls, synthesis of,
 927-928
 Uramil, 851
 Urea, 441, 1001, 1002, 1003
 reactions of, 441*, 442*
 xanthhydrol, reaction for, 442*
 Urea - formaldehyde polymers, 1017
- Vacuum desiccators, 137-139
 charge for, 138
 exhaustion of, 138
 guard for, 138
 Vacuum distillation, *see* Distillation
 under diminished pressure
 Vacuum receivers, 103, 108, 109, 118,
 218†
 Kon, 109
 Perkin, 108
n-Valeraldehyde, 322
n-Valeric acid, 354, 355, 357, 359, 487
iso-Valeric acid, 354, 355
n-Valeronitrile, 408
 Vanadium pentoxide catalyst, 463
 Vapour pressure, 1, 2
 of mixtures, 6-11
 Veratraldehyde, 803, 804
 Veratronitrile, 803, 804
 Veronal, 1002, 1003
 Vibro mixer, 65
 Vinylacetic acid, 463, 465
- Washing, 131
 theory of, 44
 Water, density and vapour pressure of,
 1162
 Water bath, 57
 electrically-heated, 58
- Water pumps, 104, 110
 Wax, 445
 Willgerodt reaction, 923, 924†, 925,
 Kindler modification of, 923
 Williamson synthesis, 309, 665, 670, 671
 Witt plate, 51
 Wohl-Ziegler reaction, 926, 927
 Wolff-Kishner reduction, 510, 511†, 516
 Huang-Minlon modification of, 510,
 516
 Wolff rearrangement, 903, 904†, 905, 906
 Woods metal, 59
 Wurtz-Fittig reaction, 508†, 511, 512
 Wurtz reaction, 236, 237
- Xanthates, 496, 499, 597
 Xanthhydrol, 405, 442*, 964
 Xanthogenates, 496, 499, 597
 Xanthone, 964
 Xanthylamides, 405*
N-Xanthylsulphonamides, 558*
p-Xylene, 934, 935
- Yield, 201
 actual, 201
 calculation of, 201-204
 factors influencing, 202, 203
 percentage, 201
 theoretical, 201
- Zeo-Karb 225/H, 381, 387, 952
 Zinc, amalgamated, 198, 199; *see also*
 Clemmensen reduction
 Zinc cyanide, 201, 661, 662, 670, 671
 Zinc powder, 630
 distillation with, 748*
 Zinc powder - sodium carbonate method
 for detection of elements, 1043*-
 1045*
 Zwitterions, 435, 585